

第6表 傷病(小分類)/入院外来・外来の種類/別に見た患者数 <1/4>

傷病小分類	総数	入院								不詳	
		入院		初診		再来		医師以外			
		総数	総数	通院	初診	通院	初診	通院	初診		通院
総数	106,449	20,726	85,723	18,969	114	64,958	455	1,133	94	0	
c-0100 感染症及び寄生虫症	2,678	449	2,229	613	0	1,602	3	10	1	0	
c-0101 原因の明示された腸管感染症	12	6	6	3	0	3	0	0	0	0	
c-0102 感染症と推定される下痢及び胃腸炎	207	61	146	90	0	56	0	0	0	0	
c-0103 呼吸器結核	15	3	12	2	0	10	0	0	0	0	
c-0104 その他の結核	9	3	6	0	0	5	0	1	0	0	
c-0105 百日咳	4	1	3	0	0	3	0	0	0	0	
c-0106 敗血症	61	59	2	2	0	0	0	0	0	0	
c-0107 その他の細菌性疾患	365	188	177	43	0	132	1	1	0	0	
c-0108 梅毒	2	0	2	0	0	2	0	0	0	0	
c-0109 淋菌感染症	4	0	4	3	0	1	0	0	0	0	
c-0110 主として性的伝播様式をとるその他の感染症	13	1	12	5	0	7	0	0	0	0	
c-0111 ヘルペスウイルス感染症	67	7	60	33	0	27	0	0	0	0	
c-0112 水痘	22	0	22	5	0	17	0	0	0	0	
c-0113 帯状疱疹	164	13	151	41	0	110	0	0	0	0	
c-0114 麻疹	0	0	0	0	0	0	0	0	0	0	
c-0115 風疹	0	0	0	0	0	0	0	0	0	0	
c-0116 皮膚及び粘膜の病変を伴うその他のウイルス疾患	488	5	483	113	0	370	0	0	0	0	
c-0117 巨型ウイルス肝炎	44	3	41	4	0	37	0	0	0	0	
c-0118 C型ウイルス肝炎	459	14	445	20	0	416	1	7	1	0	
c-0119 その他のウイルス肝炎	3	1	2	0	0	2	0	0	0	0	
c-0120 ヒト免疫不全ウイルス(HIV)病	6	1	5	2	0	3	0	0	0	0	
c-0121 ムンプス	27	1	26	9	0	17	0	0	0	0	
c-0122 その他のウイルス疾患	77	24	53	21	0	32	0	0	0	0	
c-0123 皮膚糸状菌症	64	0	64	18	0	45	1	0	0	0	
c-0124 カンジタ症	109	2	107	54	0	53	0	0	0	0	
c-0125 その他の真菌症	251	8	243	76	0	166	0	1	0	0	
c-0126 結核の結核・後遺症	48	44	4	1	0	3	0	0	0	0	
c-0127 その他の感染症及び寄生虫の結核・後遺症	1	0	1	0	0	1	0	0	0	0	
c-0128 その他の感染症及び寄生虫	156	4	152	68	0	84	0	0	0	0	
c-0200 新生物	5,866	2,105	3,761	623	1	3,081	10	33	13	0	
c-0201 口唇、口腔及び咽頭の悪性新生物	108	32	76	3	0	71	1	1	0	0	
c-0202 食道の悪性新生物	102	67	35	3	0	31	0	1	0	0	
c-0203 胃の悪性新生物	442	215	227	39	0	183	1	3	1	0	
c-0204 結腸の悪性新生物	276	145	131	10	0	120	0	1	0	0	
c-0205 直腸S状結腸移行部及び直腸の悪性新生物	402	170	232	42	0	185	1	3	1	0	
c-0206 肛門及び肛門管の悪性新生物	22	10	12	0	0	12	0	0	0	0	
c-0207 肝及び肝内胆管の悪性新生物	285	177	108	8	0	97	1	1	1	0	
c-0208 胆のう及びその他の胆道の悪性新生物	20	10	10	1	0	9	0	0	0	0	
c-0209 膵の悪性新生物	166	86	80	9	1	68	0	1	1	0	
c-0210 その他の消化器の悪性新生物	54	8	46	17	0	28	0	0	1	0	
c-0211 喉頭の悪性新生物	17	14	3	2	0	1	0	0	0	0	
c-0212 気管・気管支及び肺の悪性新生物	518	268	250	28	0	215	3	2	2	0	
c-0213 その他の呼吸器及び胸腔内臓器の悪性新生物	11	4	7	3	0	3	0	1	0	0	
c-0214 骨及び関節軟骨の悪性新生物	93	53	40	6	0	33	0	1	0	0	
c-0215 皮膚の悪性黒色腫	13	4	9	1	0	7	0	1	0	0	
c-0216 その他の皮膚の悪性新生物	23	8	15	2	0	13	0	0	0	0	
c-0217 中皮及び軟部組織の悪性新生物	18	1	17	7	0	10	0	0	0	0	
c-0218 乳房の悪性新生物	635	87	548	83	0	462	0	2	1	0	
c-0219 子宮頸(部)の悪性新生物	159	25	134	16	0	118	0	0	0	0	
c-0220 子宮体(部)の悪性新生物	74	13	61	16	0	45	0	0	0	0	
c-0221 子宮の部位不明の悪性新生物	3	2	1	0	0	1	0	0	0	0	
c-0222 卵巣の悪性新生物	74	24	50	9	0	40	0	0	1	0	
c-0223 その他の女性生殖器の悪性新生物	9	5	4	1	0	3	0	0	0	0	
c-0224 前立腺の悪性新生物	471	75	396	31	0	356	1	7	1	0	
c-0225 その他の男性生殖器の悪性新生物	27	11	16	4	0	12	0	0	0	0	
c-0226 腎及び腎盂の悪性新生物	67	26	41	1	0	38	0	2	0	0	
c-0227 膀胱の悪性新生物	185	58	127	5	0	121	0	1	0	0	
c-0228 その他の尿路の悪性新生物	15	7	8	0	0	8	0	0	0	0	
c-0229 眼及び付属器の悪性新生物	3	1	2	0	0	2	0	0	0	0	
c-0230 中枢神経系の悪性新生物	42	30	12	2	0	10	0	0	0	0	
c-0231 甲状腺の悪性新生物	36	10	26	3	0	23	0	0	0	0	
c-0232 ホンキン病	1	1	0	0	0	0	0	0	0	0	
c-0233 非ホジキンリンパ腫	198	114	84	3	0	81	0	0	0	0	
c-0234 白血病	110	75	35	2	0	33	0	0	0	0	
c-0235 その他のリンパ組織、造血組織及び関連組織の悪性新生物	119	48	71	3	0	66	1	0	1	0	
c-0236 その他の悪性新生物	146	102	44	7	0	37	0	0	0	0	
c-0237 子宮頸(部)の上皮内癌	10	0	10	2	0	6	0	2	0	0	
c-0238 その他の上皮内癌	24	4	20	4	0	16	0	0	0	0	
c-0239 皮膚の良性新生物	103	9	94	28	0	66	0	0	0	0	
c-0240 乳房の良性新生物	89	5	84	45	0	38	0	0	1	0	
c-0241 子宮平滑筋腫	199	20	179	52	0	126	1	0	0	0	
c-0242 卵巣の良性新生物	81	15	66	24	0	42	0	0	0	0	
c-0243 泌尿器の良性新生物	9	1	8	2	0	6	0	0	0	0	
c-0244 中枢神経系その他の新生物	48	16	32	9	0	22	0	0	1	0	
c-0245 その他の新生物	359	49	310	90	0	217	0	3	0	0	
c-0300 血液及び造血器の疾患並びに免疫機構の障害	527	118	409	41	0	363	2	3	0	0	
c-0301 鉄欠乏性貧血	251	17	234	25	0	207	1	1	0	0	
c-0302 その他の貧血	70	34	36	7	0	29	0	0	0	0	
c-0303 出血性の病態並びにその他の血液及び造血器の疾患	161	63	98	6	0	89	1	2	0	0	
c-0304 免疫機構の障害	45	4	41	3	0	38	0	0	0	0	
c-0400 内分泌、栄養及び代謝疾患	5,332	231	5,101	184	0	4,808	27	79	3	0	
c-0401 甲状腺中毒症	27	0	27	1	0	25	0	1	0	0	
c-0402 甲状腺炎	33	1	32	2	0	30	0	0	0	0	
c-0403 その他の甲状腺障害	391	14	377	31	0	340	3	3	0	0	
c-0404 インスリン依存性糖尿病	164	30	134	7	0	122	1	4	0	0	
c-0405 インスリン非依存性糖尿病	2,715	173	2,542	58	0	2,413	18	51	2	0	
c-0406 その他の糖尿病	69	12	57	5	0	47	3	2	0	0	
c-0407 卵巣機能障害	58	0	58	23	0	35	0	0	0	0	
c-0408 栄養失調(症)及びビタミン不足	6	1	5	1	0	4	0	0	0	0	
c-0409 肥満(症)	7	0	7	0	0	7	0	0	0	0	
c-0410 高脂血症	1,635	0	1,635	33	0	1,585	1	15	1	0	
c-0411 体液量減少(症)	14	0	14	4	0	9	0	1	0	0	
c-0412 その他の内分泌、栄養及び代謝疾患	213	0	213	19	0	191	1	2	0	0	
c-0500 精神及び行動の障害	7,523	4,337	3,186	194	4	2,847	23	88	30	0	
c-0501 血管性及び詳細不明の認知症	434	235	199	9	3	107	16	63	1	0	
c-0502 アルコール使用<飲酒>による精神及び行動の障害	156	121	35	4	0	29	0	2	0	0	
c-0503 その他の精神作用物質使用による精神及び行動の障害	70	42	28	8	0	20	0	0	0	0	
c-0504 統合失調症、統合失調症型障害及び妄想性障害	3,882	3,046	836	14	1	784	1	14	22	0	
c-0505 気分[感情]障害(躁うつ病を含む)	1,534	471	1,063	71	0	979	4	4	5	0	
c-0506 神経症性障害、ストレス関連障害及び身体表現性障害	723	67	656	60	0	590	0	4	2	0	
c-0507 知的障害<精神遅滞>	298	151	147	8	0	137	1	1	0	0	
c-0508 その他の精神及び行動の障害	426	204	222	20	0	201	1	0	0	0	

第6表 傷病(小分類)/入院外来・外来の種別/別に見た患者数 <2/4>

傷病小分類	総数	入院		外来					不詳	
		総数	総数	通院	初診	再診	通院	再診		訪問
c-0600 神経系の疾患	3,915	1,567	2,348	166	5	1,890	56	225	6	0
c-0601 髄膜炎	26	17	9	0	0	8	0	1	0	0
c-0602 中枢神経系の炎症性疾患	34	27	7	0	0	7	0	0	0	0
c-0603 脊髄性筋萎縮症及び関連症候群	84	51	33	3	0	27	0	3	0	0
c-0604 ハーキンソン病	392	200	192	5	0	167	1	19	0	0
c-0605 アルツハイマー病	1,275	575	700	17	4	439	46	189	5	0
c-0606 多発性硬化症	13	2	11	0	0	11	0	0	0	0
c-0607 てんかん	439	186	253	10	0	233	5	5	0	0
c-0608 片頭痛及びその他の頭痛症候群	105	1	104	30	0	74	0	0	0	0
c-0609 一過性脳虚血発作及び関連症候群	9	4	5	2	0	3	0	0	0	0
c-0610 睡眠障害	516	8	508	39	0	465	2	2	0	0
c-0611 神経、神経根及び神経そのの障害	182	21	161	19	1	140	0	1	0	0
c-0612 脳性麻痺及びその他の麻痺性症候群	332	251	81	5	0	74	0	1	1	0
c-0613 自律神経系の障害	46	9	37	6	0	30	0	1	0	0
c-0614 その他の神経系の疾患	462	215	247	30	0	212	2	3	0	0
c-0700 眼及び付属器の疾患	4,698	103	4,595	1,192	1	3,399	3	0	0	0
c-0701 麦粒腫及びびらん粒腫	122	0	122	88	0	34	0	0	0	0
c-0702 涙道の障害	83	0	83	24	0	59	0	0	0	0
c-0703 結膜炎	479	0	479	246	0	233	0	0	0	0
c-0704 角膜炎	229	1	228	64	0	163	1	0	0	0
c-0705 白内障	1,006	59	947	113	1	833	0	0	0	0
c-0706 網膜剥離及び裂孔	84	10	74	9	0	65	0	0	0	0
c-0707 網膜血管閉塞症	220	7	213	19	0	194	0	0	0	0
c-0708 緑内障	638	7	631	43	0	586	2	0	0	0
c-0709 斜視	14	2	12	6	0	6	0	0	0	0
c-0710 屈折及び調節の障害	724	0	724	297	0	427	0	0	0	0
c-0711 盲く失明く及び低視力	23	0	23	9	0	14	0	0	0	0
c-0712 その他の眼及び付属器の疾患	1,076	17	1,059	274	0	785	0	0	0	0
c-0800 耳及び乳突突起の疾患	1,590	49	1,541	545	0	993	2	1	0	0
c-0801 外耳炎	93	0	93	48	0	45	0	0	0	0
c-0802 耳垢栓塞	107	0	107	92	0	15	0	0	0	0
c-0803 その他の外耳疾患	56	0	56	24	0	32	0	0	0	0
c-0804 中耳炎	662	9	653	184	0	467	1	1	0	0
c-0805 耳管炎	17	0	17	7	0	10	0	0	0	0
c-0806 耳管閉塞	56	1	55	23	0	32	0	0	0	0
c-0807 中耳炎腫脹	4	0	4	0	0	4	0	0	0	0
c-0808 その他の中耳及び乳突突起の疾患	9	0	9	3	0	6	0	0	0	0
c-0809 メニエール病	79	1	78	17	0	60	1	0	0	0
c-0810 中枢性めまい	186	27	159	36	0	123	0	0	0	0
c-0811 その他の内耳疾患	51	1	50	18	0	32	0	0	0	0
c-0812 難聴	228	10	218	78	0	140	0	0	0	0
c-0813 その他の耳疾患	42	0	42	15	0	27	0	0	0	0
c-0900 循環器系の疾患	16,559	3,714	12,845	458	2	11,737	134	496	18	0
c-0901 本態性(原発性)高血圧(症)	8,688	59	8,629	144	0	8,158	66	250	11	0
c-0902 高血圧性心疾患	115	9	106	4	0	100	1	1	0	0
c-0903 高血圧性腎疾患	9	0	9	0	0	9	0	0	0	0
c-0904 高血圧性心腎疾患	11	0	11	0	0	10	1	0	0	0
c-0905 二次性高血圧症	33	0	33	1	0	32	0	0	0	0
c-0906 狭心症	813	146	667	43	0	607	8	8	1	0
c-0907 急性心筋梗塞	121	76	45	3	0	38	0	4	0	0
c-0908 冠動脈硬化症	4	1	3	0	0	3	0	0	0	0
c-0909 陈旧性心筋梗塞	132	26	106	4	1	96	3	2	0	0
c-0910 その他の虚血性心疾患	52	8	44	3	0	40	1	0	0	0
c-0911 慢性リウマチ性心疾患	2	0	2	0	0	2	0	0	0	0
c-0912 慢性非リウマチ性心内臓疾患	85	17	68	7	0	59	0	2	0	0
c-0913 心筋症	57	9	48	2	0	46	0	0	0	0
c-0914 不整脈及び伝導障害	732	98	634	63	0	564	1	6	0	0
c-0915 心不全	1,135	584	551	11	0	481	10	46	3	0
c-0916 その他の心疾患	173	65	108	21	0	86	0	1	0	0
c-0917 くも膜下出血	237	197	40	2	0	33	2	3	0	0
c-0918 脳内出血	750	599	151	15	0	117	7	12	0	0
c-0919 脳梗塞	2,518	1,453	1,065	37	1	854	28	142	3	0
c-0920 脳動脈硬化(症)	18	1	17	4	0	12	1	0	0	0
c-0921 その他の脳血管疾患	237	111	126	14	0	101	3	8	0	0
c-0922 肺塞栓症	16	9	7	1	0	5	0	1	0	0
c-0923 動脈硬化(症)	102	42	60	8	0	49	0	3	0	0
c-0924 大動脈瘤及び解離	145	84	61	12	0	48	0	1	0	0
c-0925 レイノー症候群	5	0	5	0	0	5	0	0	0	0
c-0926 動脈の塞栓症及び血栓症	80	36	44	4	0	39	1	0	0	0
c-0927 その他の動脈、細動脈及び毛細血管の疾患	61	19	42	7	0	33	0	2	0	0
c-0928 静脈炎、血栓(性)静脈炎並びに静脈の塞栓症及び血栓症	53	12	41	3	0	34	0	4	0	0
c-0929 下肢の静脈瘤	52	7	45	17	0	28	0	0	0	0
c-0930 痔核	0	0	0	0	0	0	0	0	0	0
c-0931 食道静脈瘤	28	24	4	0	0	4	0	0	0	0
c-0932 低血圧(症)	21	4	17	5	0	12	0	0	0	0
c-0933 その他の循環器系の疾患	74	18	56	23	0	32	1	0	0	0
c-1000 呼吸器系の疾患	12,283	1,548	10,735	4,546	4	6,118	18	46	3	0
c-1001 急性鼻咽頭炎[かぜ]＜感冒＞	674	4	670	375	2	292	0	1	0	0
c-1002 急性副鼻腔炎	405	3	402	160	0	242	0	0	0	0
c-1003 急性咽頭炎及び急性扁桃炎	1,991	3	1,988	1,195	0	791	0	2	0	0
c-1004 急性喉頭炎及び気管炎	366	6	360	198	0	162	0	0	0	0
c-1005 その他の急性上気道感染症	853	2	851	517	0	330	4	0	0	0
c-1006 インフルエンザ	10	0	10	5	0	5	0	0	0	0
c-1007 肺炎	826	695	131	32	0	92	3	3	1	0
c-1008 急性気管支炎	2,248	37	2,211	1,130	1	1,071	4	5	0	0
c-1009 急性細気管支炎	6	2	4	2	0	2	0	0	0	0
c-1010 アレルギー性鼻炎	1,006	1	1,005	347	0	656	1	1	0	0
c-1011 慢性副鼻腔炎	313	2	311	77	0	234	0	0	0	0
c-1012 その他の鼻及び副鼻腔の疾患	160	4	156	75	0	81	0	0	0	0
c-1013 扁桃炎及びアデノイドの慢性疾患	88	10	78	40	0	38	0	0	0	0
c-1014 その他の上気道の疾患	31	5	26	11	0	15	0	0	0	0
c-1015 急性又は慢性と明示されない気管支炎	72	4	68	25	1	41	0	1	0	0
c-1016 慢性閉塞性肺疾患	372	139	233	16	0	205	4	7	1	0
c-1017 喘息	2,087	53	2,034	312	0	1,709	2	11	0	0
c-1018 気管支拡張症	25	5	20	1	0	16	0	2	1	0
c-1019 じん肺(症)	13	0	13	0	0	13	0	0	0	0
c-1020 間質性肺疾患	105	58	47	7	0	37	0	3	0	0
c-1021 気胸	17	8	9	4	0	5	0	0	0	0
c-1022 その他の呼吸器系の疾患	615	507	108	17	0	81	0	10	0	0

第6表 傷病(小分類)/入院外来・外来の種別/別に見た患者数 <4/4>

傷病小分類	総数	入院		外来						不詳
		総数	総数	初診		再来		訪問	医師以外	
				通院	往診	通院	往診			
c-1600 周産期に発生した病態	181	115	66	7	0	59	0	0	0	0
c-1601 妊娠期間及び胎児発育に関連する障害	88	47	41	4	0	37	0	0	0	0
c-1602 出産外傷	0	0	0	0	0	0	0	0	0	0
c-1603 周産期に特異的な呼吸障害及び心血管障害	46	38	8	0	0	8	0	0	0	0
c-1604 周産期に特異的な感染症	7	4	3	0	0	3	0	0	0	0
c-1605 胎児及び新生児の出血性障害及び血液障害	19	10	9	2	0	7	0	0	0	0
c-1606 その他の周産期に発生した病態	21	16	5	1	0	4	0	0	0	0
c-1700 先天奇形、変形及び染色体異常	195	61	134	17	0	116	0	1	0	0
c-1701 二分脊椎<脊椎被裂>	2	0	2	0	0	2	0	0	0	0
c-1702 その他の神経系の先天奇形	5	1	4	0	0	4	0	0	0	0
c-1703 心臓の先天奇形	46	14	32	3	0	29	0	0	0	0
c-1704 その他の循環器系の先天奇形	8	0	8	0	0	8	0	0	0	0
c-1705 膈裂及び口蓋裂	4	1	3	0	0	3	0	0	0	0
c-1706 小腸の先天欠損、閉鎖及び狭窄	1	0	1	1	0	0	0	0	0	0
c-1707 その他の消化器系の先天奇形	5	0	5	1	0	4	0	0	0	0
c-1708 停留精巣<睾丸>	0	0	0	0	0	0	0	0	0	0
c-1709 その他の泌尿生殖器系の先天奇形	1	0	1	0	0	1	0	0	0	0
c-1710 股関節部の先天変形	1	0	1	1	0	0	0	0	0	0
c-1711 足の先天変形	20	1	19	3	0	16	0	0	0	0
c-1712 脊柱及び骨性胸郭の先天奇形	0	0	0	0	0	0	0	0	0	0
c-1713 その他の筋骨格系の先天奇形及び変形	12	4	8	1	0	7	0	0	0	0
c-1714 その他の先天奇形	40	16	24	4	0	20	0	0	0	0
c-1715 染色体異常、他に分類されないもの	50	24	26	3	0	22	0	1	0	0
c-1800 症状、徴候及び異常臨床所見・異常検査所見で他に分類されないもの	1,150	221	929	394	2	525	4	4	0	0
c-1801 腹痛及び骨痛	49	9	40	23	0	17	0	0	0	0
c-1802 めまい	198	5	193	72	0	121	0	0	0	0
c-1803 不明熱	13	4	9	5	0	4	0	0	0	0
c-1804 頭痛	172	3	169	99	0	70	0	0	0	0
c-1805 老衰	7	5	2	0	0	0	2	0	0	0
c-1806 その他の症状、徴候及び異常臨床所見・異常検査所見で他に分類されないもの	711	195	516	195	2	313	2	4	0	0
c-1900 損傷、中毒及びその他の外因の影響	7,942	2,898	5,544	1,046	4	4,468	8	15	3	0
c-1901 頭蓋骨及び顔面骨の骨折	27	6	21	3	0	17	0	1	0	0
c-1902 頭部、胸部及び骨盤の骨折(脊椎を含む)	801	522	279	42	0	231	4	2	0	0
c-1903 大腿骨の骨折	832	731	101	7	0	92	0	2	0	0
c-1904 その他の四肢の骨折	1,206	385	821	93	2	724	1	0	1	0
c-1905 多部位の骨折	26	6	20	2	0	18	0	0	0	0
c-1906 明示された部位及び多部位の脱臼、捻挫及びストレッチ	1,827	98	1,729	180	0	1,548	1	0	0	0
c-1907 眼球及び眼窩の損傷	13	2	11	6	0	5	0	0	0	0
c-1908 頭蓋内損傷	137	107	30	3	1	25	0	1	0	0
c-1909 その他の内臓の損傷	16	11	5	2	0	3	0	0	0	0
c-1910 明示された部位及び多部位の挫滅損傷及び外傷性切断	294	24	270	68	0	201	0	1	0	0
c-1911 その他の明示された部位、部位不明及び多部位の損傷	2,177	306	1,871	537	1	1,324	2	6	1	0
c-1912 自然開口部からの異物侵入の作用	22	1	21	18	0	3	0	0	0	0
c-1913 熱傷及び腐食	91	15	76	26	0	50	0	0	0	0
c-1914 薬物、薬剤及び生物学的製剤による中毒	31	11	20	1	0	19	0	0	0	0
c-1915 薬用を主としない物質の毒作用	5	1	4	2	0	2	0	0	0	0
c-1916 虐待症候群	6	0	6	1	0	5	0	0	0	0
c-1917 その他及び詳細不明の外因の作用	211	53	158	41	0	115	0	2	0	0
c-1918 外傷の早期合併症並びに外科的及び内科的ケアの合併症、他に分類されないもの	94	67	27	1	0	26	0	0	0	0
c-1919 損傷、中毒及びその他の外因による影響の続発・後遺症	126	52	74	13	0	60	0	0	1	0
c-2100 健康状態に影響を及ぼす要因及び保健サービスの利用	7,477	161	7,316	4,568	45	2,592	92	12	7	0
c-2101 検査及び診察のための保健サービスの利用者	2,412	27	2,385	1,623	37	652	73	0	0	0
c-2102 無症候性ヒト免疫不全ウイルス(HIV)感染状態	0	0	0	0	0	0	0	0	0	0
c-2103 予防接種	4,030	0	4,030	2,813	7	1,179	19	12	0	0
c-2104 伝染病に関連する健康障害をきたす恐れのあるその他の者	0	0	0	0	0	0	0	0	0	0
c-2105 避妊管理	0	0	0	0	0	0	0	0	0	0
c-2106 分娩前スクリーニング及びその他の妊娠の管理	0	0	0	0	0	0	0	0	0	0
c-2107 その他の生殖に関連する環境下での保健サービスの利用者	0	0	0	0	0	0	0	0	0	0
c-2108 分娩後のケア及び検査	665	134	531	52	1	478	0	0	0	0
c-2109 菌の補てつ	0	0	0	0	0	0	0	0	0	0
c-2110 特定の処置(菌の補てつを除く)及び保健ケアのための保健サービスの利用者	1	0	1	0	0	1	0	0	0	0
c-2111 腎透析依存	0	0	0	0	0	0	0	0	0	0
c-2112 その他の理由による保健サービスの利用者	369	0	369	80	0	282	0	0	7	0
c-2200 特殊目的用コード	0	0	0	0	0	0	0	0	0	0
c-2210 重症急性呼吸器症候群[SARS]	0	0	0	0	0	0	0	0	0	0
c-2220 その他の特殊目的用コード	0	0	0	0	0	0	0	0	0	0
不詳	775	121	654	123	2	511	5	11	2	0

第7表 年齢階級・性/施設の種類の入院外来/別に見た患者数 <1/1>

年齢	総数			病院			一般診療所		
	総数	入院	外来	総数	入院	外来	総数	入院	外来
総数	106,449	20,726	85,723	43,012	20,212	22,800	63,437	514	62,923
男	46,627	9,878	36,749	20,198	9,714	10,484	26,429	164	26,265
女	59,822	10,848	48,974	22,814	10,498	12,316	37,008	350	36,658
0歳	764	156	608	294	152	142	470	4	466
男	373	77	296	137	74	63	236	3	233
女	391	79	312	157	78	79	234	1	233
1~4歳	4,856	118	4,738	642	118	524	4,214	0	4,214
男	2,573	65	2,508	353	65	288	2,220	0	2,220
女	2,283	53	2,230	289	53	236	1,994	0	1,994
5~9歳	3,607	88	3,519	437	88	349	3,170	0	3,170
男	1,905	56	1,849	260	56	204	1,645	0	1,645
女	1,702	32	1,670	177	32	145	1,525	0	1,525
10~14歳	2,392	101	2,291	435	100	335	1,957	1	1,956
男	1,283	53	1,230	235	52	183	1,048	1	1,047
女	1,109	48	1,061	200	48	152	909	0	909
15~19歳	1,551	132	1,419	371	126	245	1,180	6	1,174
男	774	86	688	204	82	122	570	4	566
女	777	46	731	167	44	123	610	2	608
20~24歳	1,556	147	1,409	440	134	306	1,116	13	1,103
男	584	73	511	207	73	134	377	0	377
女	972	74	898	233	61	172	739	13	726
25~29歳	2,196	273	1,923	724	240	484	1,472	33	1,439
男	720	93	627	260	91	169	460	2	458
女	1,476	180	1,296	464	149	315	1,012	31	981
30~34歳	2,976	348	2,628	990	303	687	1,986	45	1,941
男	931	103	828	296	101	195	635	2	633
女	2,045	245	1,800	694	202	492	1,351	43	1,308
35~39歳	3,612	403	3,209	1,288	378	910	2,324	25	2,299
男	1,245	159	1,086	472	158	314	773	1	772
女	2,367	244	2,123	816	220	596	1,551	24	1,527
40~44歳	4,462	518	3,944	1,623	511	1,112	2,839	7	2,832
男	1,736	274	1,462	677	273	404	1,059	1	1,058
女	2,726	244	2,482	946	238	708	1,780	6	1,774
45~49歳	4,330	570	3,760	1,648	562	1,086	2,682	8	2,674
男	1,783	318	1,465	753	312	441	1,030	6	1,024
女	2,547	252	2,295	895	250	645	1,652	2	1,650
50~54歳	4,710	749	3,961	1,962	740	1,222	2,748	9	2,739
男	2,025	448	1,577	959	440	519	1,066	8	1,058
女	2,685	301	2,384	1,003	300	703	1,682	1	1,681
55~59歳	5,163	887	4,276	2,254	878	1,376	2,909	9	2,900
男	2,405	516	1,889	1,174	509	665	1,231	7	1,224
女	2,758	371	2,387	1,080	369	711	1,678	2	1,676
60~64歳	7,367	1,422	5,945	3,315	1,402	1,913	4,052	20	4,032
男	3,518	828	2,690	1,798	821	977	1,720	7	1,713
女	3,849	594	3,255	1,517	581	936	2,332	13	2,319
65~69歳	11,762	2,119	9,643	4,986	2,073	2,913	6,776	46	6,730
男	5,736	1,245	4,491	2,721	1,224	1,497	3,015	21	2,994
女	6,026	874	5,152	2,265	849	1,416	3,761	25	3,736
70~74歳	11,049	2,052	8,997	4,799	2,003	2,796	6,250	49	6,201
男	5,197	1,131	4,066	2,549	1,111	1,438	2,648	20	2,628
女	5,852	921	4,931	2,250	892	1,358	3,602	29	3,573
75~79歳	14,910	4,144	10,766	7,089	4,052	3,037	7,821	92	7,729
男	6,218	1,736	4,482	3,121	1,705	1,416	3,097	31	3,066
女	8,692	2,408	6,284	3,968	2,347	1,621	4,724	61	4,663
80歳以上	18,467	6,207	12,260	9,412	6,061	3,351	9,055	146	8,909
男	7,049	2,334	4,715	3,733	2,284	1,449	3,316	50	3,266
女	11,418	3,873	7,545	5,679	3,777	1,902	5,739	96	5,643
65歳以上(再掲)	56,188	14,522	41,666	26,286	14,189	12,097	29,902	333	29,569
男	24,200	6,446	17,754	12,124	6,324	5,800	12,076	122	11,954
女	31,988	8,076	23,912	14,162	7,865	6,297	17,826	211	17,615
不詳	719	292	427	303	291	12	416	1	415
男	572	283	289	289	283	6	283	0	283
女	147	9	138	14	8	6	133	1	132

第9-1表 年齢階級・性/前回診療日から調査日までの日数/別に見た再来患者の構成割合(総数) <1/2>

年齢	総数	1日以内	2日	3日	4日	5日	6日	7日	8～10日	11～14日	14日(再掲)	15～20日	21～30日	31日以上
総数	100.0	5.4%	8.9%	2.6%	5.4%	4.5%	9.6%	4.2%	18.2%	7.0%	2.2%	10.2%	10.5%	13.4%
男	100.0	2.6%	11.2%	2.6%	6.6%	5.3%	8.6%	3.3%	18.4%	7.2%	2.0%	11.2%	8.6%	14.5%
女	100.0	8.1%	6.8%	2.5%	4.3%	3.7%	10.6%	5.0%	18.0%	6.8%	2.5%	9.3%	12.4%	12.4%
0歳	100.0	5.1%	10.8%	6.6%	7.0%	8.9%	7.5%	5.5%	13.4%	6.5%	1.4%	8.8%	6.0%	13.8%
男	100.0	4.9%	11.4%	6.7%	7.1%	8.3%	8.4%	5.7%	13.3%	6.2%	1.4%	8.8%	6.0%	13.2%
女	100.0	5.4%	10.2%	6.5%	7.0%	9.7%	6.4%	5.2%	13.6%	6.8%	1.5%	8.7%	6.1%	14.5%
1～4歳	100.0	4.5%	6.6%	4.2%	4.5%	5.5%	4.3%	4.0%	13.4%	7.9%	2.1%	12.6%	9.6%	22.9%
男	100.0	4.6%	6.3%	3.9%	4.6%	5.2%	3.9%	4.0%	13.8%	8.2%	2.4%	12.7%	10.3%	22.6%
女	100.0	4.3%	6.9%	4.7%	4.4%	6.0%	4.9%	4.0%	12.9%	7.5%	1.9%	12.5%	8.8%	23.2%
5～9歳	100.0	5.3%	8.2%	4.5%	5.0%	4.8%	4.0%	2.6%	12.0%	5.7%	1.2%	9.4%	9.2%	29.3%
男	100.0	5.9%	9.0%	5.3%	4.4%	4.5%	3.3%	2.7%	11.2%	4.5%	0.8%	10.0%	8.1%	31.1%
女	100.0	4.5%	7.3%	3.6%	5.8%	5.1%	4.7%	2.4%	13.1%	7.1%	1.6%	8.7%	10.5%	27.2%
10～14歳	100.0	5.8%	10.4%	5.4%	3.1%	3.5%	3.0%	3.0%	12.2%	5.5%	1.6%	8.8%	8.6%	30.7%
男	100.0	5.9%	11.3%	6.2%	2.9%	3.8%	3.8%	3.5%	13.9%	6.2%	1.6%	6.7%	8.0%	27.9%
女	100.0	5.7%	9.5%	4.6%	3.3%	3.3%	2.2%	2.5%	10.4%	4.9%	1.6%	10.9%	9.3%	33.5%
15～19歳	100.0	5.1%	11.9%	4.9%	4.1%	3.0%	3.6%	2.8%	12.8%	5.1%	1.8%	10.1%	11.1%	25.5%
男	100.0	5.2%	14.1%	7.5%	4.3%	4.9%	4.3%	3.6%	12.1%	5.9%	2.0%	6.6%	10.5%	21.0%
女	100.0	5.0%	10.6%	3.3%	4.1%	1.9%	3.3%	2.3%	13.1%	4.6%	1.7%	12.2%	11.4%	28.2%
20～24歳	100.0	4.3%	11.7%	4.7%	3.5%	3.2%	3.2%	3.0%	12.2%	6.0%	1.9%	12.7%	12.1%	23.3%
男	100.0	5.4%	17.0%	4.9%	4.6%	5.1%	2.7%	3.2%	8.4%	3.8%	1.3%	10.5%	10.0%	24.5%
女	100.0	3.8%	9.3%	4.6%	3.0%	2.4%	3.5%	2.9%	13.9%	7.0%	2.1%	13.7%	13.1%	22.8%
25～29歳	100.0	4.3%	12.3%	4.4%	4.3%	3.9%	3.0%	2.9%	12.3%	4.9%	1.6%	11.7%	10.9%	25.1%
男	100.0	6.0%	15.5%	5.6%	4.1%	3.3%	3.7%	3.1%	10.3%	5.0%	1.4%	7.0%	10.7%	25.6%
女	100.0	3.6%	10.9%	4.0%	4.3%	4.1%	2.7%	2.9%	13.1%	4.9%	1.6%	13.5%	10.9%	24.9%
30～34歳	100.0	5.7%	12.5%	7.4%	2.6%	3.2%	3.6%	3.2%	10.9%	5.5%	2.0%	10.5%	10.9%	24.0%
男	100.0	6.2%	14.0%	8.0%	2.9%	3.3%	2.3%	3.2%	9.1%	5.4%	1.8%	8.4%	10.7%	26.4%
女	100.0	5.4%	11.8%	7.1%	2.5%	3.1%	4.2%	3.2%	11.9%	5.6%	2.2%	11.6%	10.9%	22.7%
35～39歳	100.0	5.8%	12.3%	6.2%	3.0%	3.5%	3.1%	2.9%	9.2%	4.9%	1.2%	9.5%	11.3%	28.2%
男	100.0	6.4%	12.9%	7.7%	3.6%	3.4%	2.8%	3.2%	8.0%	5.0%	1.2%	8.3%	10.5%	28.2%
女	100.0	5.4%	12.0%	5.2%	2.7%	3.7%	3.3%	2.7%	9.9%	4.8%	1.2%	10.3%	11.8%	28.2%
40～44歳	100.0	5.6%	11.4%	6.9%	2.4%	3.1%	3.5%	2.6%	8.4%	4.6%	1.5%	9.7%	10.9%	30.8%
男	100.0	6.4%	12.5%	8.4%	2.9%	2.8%	3.1%	2.0%	8.6%	4.0%	1.6%	9.5%	10.4%	29.4%
女	100.0	5.1%	10.7%	5.9%	2.0%	3.3%	3.8%	3.0%	8.3%	5.1%	1.5%	9.7%	11.3%	31.8%
45～49歳	100.0	5.8%	10.8%	5.7%	3.4%	3.2%	3.3%	2.7%	8.5%	4.0%	1.3%	9.1%	12.0%	31.6%
男	100.0	5.6%	11.0%	6.4%	3.9%	2.9%	2.8%	3.1%	8.0%	3.6%	1.1%	7.6%	12.9%	32.2%
女	100.0	5.9%	10.7%	5.2%	3.0%	3.4%	3.7%	2.3%	8.9%	4.2%	1.4%	10.2%	11.3%	31.2%
50～54歳	100.0	5.0%	9.2%	5.5%	4.1%	2.6%	2.5%	2.4%	8.5%	4.6%	1.6%	9.3%	12.5%	33.7%
男	100.0	4.8%	9.7%	7.2%	5.3%	2.6%	2.3%	1.8%	7.0%	4.3%	1.5%	8.2%	13.2%	33.5%
女	100.0	5.1%	8.7%	4.1%	3.1%	2.6%	2.7%	2.9%	9.7%	4.9%	1.8%	10.3%	11.9%	33.9%
55～59歳	100.0	4.8%	8.6%	6.2%	3.7%	2.8%	2.8%	2.3%	8.2%	3.8%	1.5%	9.4%	13.4%	34.1%
男	100.0	4.6%	8.9%	7.6%	4.4%	2.8%	2.2%	1.8%	7.4%	4.0%	1.4%	8.8%	13.0%	34.4%
女	100.0	5.0%	8.3%	5.0%	3.0%	2.8%	3.3%	2.7%	8.9%	3.6%	1.6%	9.9%	13.7%	33.8%
60～64歳	100.0	4.8%	7.7%	6.6%	4.4%	2.4%	2.3%	2.3%	8.2%	4.0%	1.4%	9.0%	13.7%	34.5%
男	100.0	5.0%	8.1%	7.6%	5.2%	2.4%	1.9%	2.2%	7.5%	3.6%	1.5%	8.6%	13.8%	34.2%
女	100.0	4.7%	7.3%	5.7%	3.7%	2.5%	2.6%	2.5%	8.7%	4.3%	1.3%	9.5%	13.7%	34.8%
65～69歳	100.0	4.8%	8.5%	6.1%	4.5%	2.7%	2.7%	2.5%	8.3%	4.0%	1.5%	8.9%	14.5%	32.5%
男	100.0	4.4%	9.4%	6.7%	5.2%	2.5%	2.8%	2.5%	8.0%	3.7%	1.6%	8.3%	13.5%	33.1%
女	100.0	5.2%	7.8%	5.7%	3.9%	2.8%	2.6%	2.5%	8.5%	4.3%	1.4%	9.4%	15.3%	32.0%
70～74歳	100.0	6.2%	8.0%	5.7%	4.1%	2.7%	2.3%	2.7%	9.3%	4.2%	1.4%	10.9%	14.4%	29.4%
男	100.0	5.9%	8.8%	7.0%	4.2%	2.9%	2.2%	2.7%	8.2%	4.2%	1.2%	9.7%	14.0%	30.2%
女	100.0	6.4%	7.3%	4.8%	4.0%	2.7%	2.4%	2.8%	10.1%	4.3%	1.5%	11.7%	14.7%	28.9%
75～79歳	100.0	6.3%	7.2%	4.8%	4.1%	2.6%	2.5%	3.0%	10.8%	4.5%	1.8%	11.9%	14.4%	27.8%
男	100.0	5.6%	8.8%	6.3%	4.8%	2.7%	2.7%	2.8%	9.0%	4.3%	1.7%	10.0%	13.4%	29.6%
女	100.0	6.8%	6.3%	3.9%	3.7%	2.6%	2.5%	3.1%	11.8%	4.6%	1.9%	13.0%	15.0%	26.8%
80歳以上	100.0	8.7%	12.3%	4.1%	2.3%	3.7%	1.4%	2.3%	10.5%	6.8%	2.3%	8.7%	13.2%	26.0%
男	100.0	6.8%	14.4%	6.8%	1.7%	3.4%	2.5%	1.7%	8.5%	4.2%	0.8%	7.6%	13.6%	28.8%
女	100.0	10.9%	9.9%	1.0%	3.0%	4.0%	0.0%	3.0%	12.9%	9.9%	4.0%	9.9%	12.9%	22.8%
65歳以上(再掲)	100.0	5.6%	7.8%	5.7%	4.2%	2.6%	2.5%	2.7%	9.3%	4.2%	1.6%	10.3%	14.3%	30.7%
男	100.0	5.3%	8.8%	6.9%	4.8%	2.6%	2.4%	2.5%	8.2%	3.9%	1.5%	9.2%	13.7%	31.7%
女	100.0	5.9%	7.1%	4.9%	3.8%	2.6%	2.5%	2.7%	10.1%	4.4%	1.6%	11.2%	14.7%	30.0%
不詳	100.0	8.7%	12.3%	4.1%	2.3%	3.7%	1.4%	2.3%	10.5%	6.8%	2.3%	8.7%	13.2%	26.0%
男	100.0	6.8%	14.4%	6.8%	1.7%	3.4%	2.5%	1.7%	8.5%	4.2%	0.8%	7.6%	13.6%	28.8%
女	100.0	10.9%	9.9%	1.0%	3.0%	4.0%	0.0%	3.0%	12.9%	9.9%	4.0%	9.9%	12.9%	22.8%

第9-1表 年齢階級・性/前回診療日から調査日までの日数/別に見た再来患者の構成割合(総数) <2/2>

平均 日数
25.9
25.3
26.4
14.9
16.1
13.8
17.2
17.1
17.4
24.2
23.1
25.5
27.4
26.4
28.5
32.1
29.6
34.6
26.6
22.4
29.0
24.4
23.7
24.7
27.0
25.6
27.5
25.2
24.6
25.5
28.1
26.4
29.1
28.6
24.1
31.7
27.9
26.1
29.2
27.6
26.8
28.3
28.6
27.9
29.2
27.7
26.5
28.7
26.7
26.2
27.1
25.0
25.4
24.8
23.7
24.5
23.2
25.6
25.6
25.5
23.2
24.1
22.2

第9-2表 年齢階級・性/前回診療日から調査日までの日数/別に見た再来患者の構成割合(病院) <1/1>

年齢	総数	1日以内	2日	3日	4日	5日	6日	7日	8~10日	11~20日	14日(再掲)	15~20日	21~30日	31日以上	平均日数
総数	100.0	0.0%	1.0%	1.9%	1.0%	1.9%	4.8%	4.8%	21.0%	7.6%	2.9%	12.4%	20.0%	23.8%	32.6
男	100.0	0.0%	2.2%	2.2%	0.0%	2.2%	6.5%	2.2%	15.2%	10.9%	4.3%	15.2%	15.2%	28.3%	31.3
女	100.0	0.0%	0.0%	1.7%	1.7%	1.7%	3.4%	6.8%	25.4%	5.1%	1.7%	10.2%	23.7%	20.3%	33.7
0歳	100.0	1.6%	5.7%	6.7%	0.8%	2.1%	3.9%	3.4%	12.1%	4.7%	1.3%	10.6%	10.3%	38.2%	21.6
男	100.0	1.4%	6.9%	7.9%	0.9%	1.4%	5.1%	4.2%	13.0%	5.6%	1.9%	9.7%	8.3%	35.6%	23.6
女	100.0	1.8%	4.1%	5.3%	0.6%	2.9%	2.3%	2.3%	11.1%	3.5%	0.6%	11.7%	12.9%	41.5%	20.0
1~4歳	100.0	0.8%	2.3%	4.5%	1.1%	2.3%	3.4%	3.0%	10.6%	6.4%	3.0%	11.0%	16.7%	37.9%	40.0
男	100.0	0.6%	0.6%	5.7%	1.9%	1.9%	0.6%	2.5%	10.2%	7.6%	3.2%	14.0%	19.1%	35.0%	37.4
女	100.0	0.9%	4.7%	2.8%	0.0%	2.8%	7.5%	3.7%	11.2%	4.7%	2.8%	6.5%	13.1%	42.1%	43.1
5~9歳	100.0	1.2%	5.3%	3.7%	2.0%	1.6%	1.2%	2.0%	11.5%	4.1%	1.2%	11.1%	10.2%	45.9%	39.1
男	100.0	0.7%	4.3%	5.0%	2.9%	1.4%	1.4%	2.9%	7.9%	4.3%	0.7%	13.7%	5.8%	49.6%	36.9
女	100.0	1.9%	6.7%	1.9%	1.0%	1.9%	1.0%	1.0%	16.2%	3.8%	1.9%	7.6%	16.2%	41.0%	42.3
10~14歳	100.0	2.4%	7.1%	2.4%	1.2%	1.8%	1.8%	4.1%	15.3%	8.2%	2.9%	11.8%	12.4%	31.8%	37.4
男	100.0	3.5%	7.1%	3.5%	1.2%	1.2%	3.5%	3.5%	16.5%	5.9%	1.2%	10.6%	12.9%	30.6%	35.6
女	100.0	1.2%	7.1%	1.2%	1.2%	2.4%	0.0%	4.7%	14.1%	10.6%	4.7%	12.9%	11.8%	32.9%	39.8
15~19歳	100.0	2.3%	5.9%	4.5%	4.5%	4.1%	3.6%	4.1%	17.3%	5.9%	2.3%	9.5%	16.4%	21.8%	30.8
男	100.0	3.3%	4.3%	6.5%	2.2%	8.7%	2.2%	6.5%	17.4%	8.7%	4.3%	8.7%	10.9%	20.7%	31.2
女	100.0	1.6%	7.0%	3.1%	6.3%	0.8%	4.7%	2.3%	17.2%	3.9%	0.8%	10.2%	20.3%	22.7%	30.4
20~24歳	100.0	2.2%	9.8%	4.1%	3.5%	4.1%	3.0%	2.2%	14.7%	6.0%	2.4%	13.9%	11.1%	25.5%	21.5
男	100.0	2.4%	13.8%	3.3%	3.3%	8.1%	2.4%	1.6%	12.2%	6.5%	2.4%	9.8%	8.9%	27.6%	22.7
女	100.0	2.0%	7.8%	4.5%	3.7%	2.0%	3.3%	2.4%	15.9%	5.7%	2.4%	15.9%	12.2%	24.5%	20.6
25~29歳	100.0	1.5%	9.7%	4.3%	3.5%	3.3%	2.9%	3.1%	11.8%	6.4%	2.1%	15.1%	13.0%	25.5%	26.2
男	100.0	3.7%	9.7%	3.7%	5.2%	4.5%	3.7%	3.7%	10.4%	6.0%	0.7%	7.5%	13.4%	28.4%	25.3
女	100.0	0.8%	9.7%	4.4%	2.9%	2.9%	2.6%	2.9%	12.3%	6.5%	2.6%	17.8%	12.8%	24.5%	26.6
30~34歳	100.0	4.0%	9.4%	5.8%	1.6%	2.1%	2.4%	2.8%	12.2%	3.6%	0.9%	13.1%	13.2%	29.7%	26.6
男	100.0	5.0%	9.5%	7.4%	2.9%	2.1%	1.2%	2.9%	10.7%	2.5%	0.8%	9.1%	13.6%	33.1%	23.5
女	100.0	3.5%	9.3%	5.0%	0.9%	2.2%	3.0%	2.8%	13.0%	4.1%	0.9%	15.2%	13.0%	28.0%	27.7
35~39歳	100.0	3.9%	10.9%	4.5%	1.2%	3.7%	2.6%	2.7%	11.4%	4.5%	1.2%	9.7%	14.2%	30.7%	29.9
男	100.0	5.5%	10.4%	6.2%	2.3%	4.2%	2.6%	3.9%	11.1%	5.9%	1.3%	7.2%	10.1%	30.6%	31.1
女	100.0	3.0%	11.2%	3.5%	0.6%	3.4%	2.6%	2.0%	11.5%	3.7%	1.1%	11.2%	16.6%	30.7%	29.3
40~44歳	100.0	3.2%	8.7%	5.8%	1.8%	3.2%	3.5%	2.7%	10.2%	3.2%	1.2%	10.6%	11.2%	36.0%	30.7
男	100.0	2.7%	9.9%	8.0%	2.4%	2.7%	4.0%	1.9%	10.7%	4.0%	2.1%	10.7%	11.5%	31.4%	28.2
女	100.0	3.5%	7.8%	4.1%	1.4%	3.5%	3.1%	3.3%	9.8%	2.5%	0.6%	10.6%	11.0%	39.3%	32.1
45~49歳	100.0	3.7%	9.9%	4.8%	2.6%	3.0%	4.0%	2.9%	10.0%	4.0%	1.2%	9.7%	10.9%	34.7%	36.2
男	100.0	3.3%	10.8%	5.7%	3.5%	3.3%	3.7%	3.1%	10.1%	3.7%	0.9%	8.6%	13.2%	31.0%	28.6
女	100.0	4.0%	9.2%	4.1%	1.8%	2.7%	4.1%	2.7%	9.9%	4.1%	1.4%	10.6%	9.0%	37.8%	41.8
50~54歳	100.0	3.4%	9.9%	5.4%	4.0%	2.4%	1.9%	2.3%	10.2%	4.2%	1.7%	9.1%	10.3%	36.8%	32.3
男	100.0	2.6%	11.3%	7.4%	5.8%	2.7%	1.9%	1.0%	9.5%	4.1%	1.7%	6.7%	10.5%	36.4%	26.4
女	100.0	4.1%	8.4%	3.4%	2.2%	2.1%	1.9%	3.6%	10.9%	4.3%	1.7%	11.6%	10.2%	37.2%	37.1
55~59歳	100.0	3.0%	9.1%	6.4%	4.4%	3.2%	3.2%	2.5%	8.6%	3.8%	1.6%	9.2%	8.9%	37.6%	32.3
男	100.0	3.5%	9.6%	7.3%	5.6%	3.3%	2.5%	2.1%	8.0%	4.3%	1.6%	9.0%	8.9%	36.0%	30.0
女	100.0	2.4%	8.6%	5.3%	3.0%	3.2%	3.9%	3.0%	9.4%	3.3%	1.5%	9.4%	9.0%	39.5%	34.6
60~64歳	100.0	2.4%	7.9%	7.2%	4.0%	2.1%	2.9%	2.0%	8.9%	4.1%	1.4%	8.3%	10.3%	39.6%	33.3
男	100.0	2.2%	9.3%	7.9%	4.8%	2.0%	2.5%	1.9%	9.2%	3.3%	1.5%	8.2%	10.4%	38.2%	30.8
女	100.0	2.7%	6.4%	6.5%	3.2%	2.2%	3.4%	2.1%	8.6%	5.1%	1.2%	8.4%	10.2%	41.1%	36.0
65~69歳	100.0	2.2%	6.7%	6.1%	3.9%	2.4%	3.1%	2.4%	9.3%	3.4%	1.3%	8.7%	12.2%	39.6%	32.6
男	100.0	2.4%	7.6%	6.6%	4.6%	2.4%	3.1%	2.3%	9.2%	3.2%	1.5%	8.7%	11.0%	39.0%	30.9
女	100.0	1.9%	5.8%	5.6%	3.2%	2.4%	3.1%	2.5%	9.4%	3.5%	1.2%	8.8%	13.5%	40.2%	34.5
70~74歳	100.0	2.8%	6.4%	6.2%	3.9%	2.3%	2.3%	2.1%	8.9%	3.6%	1.3%	9.5%	13.2%	38.8%	34.1
男	100.0	2.6%	7.7%	7.1%	4.1%	1.9%	2.3%	2.3%	8.6%	3.8%	1.3%	8.6%	11.8%	39.0%	32.4
女	100.0	3.0%	5.3%	5.4%	3.7%	2.5%	2.2%	1.9%	9.2%	3.4%	1.3%	10.3%	14.5%	38.7%	36.0
75~79歳	100.0	1.9%	5.1%	4.7%	3.9%	2.4%	3.0%	2.6%	10.1%	3.8%	1.4%	9.6%	13.5%	39.5%	32.6
男	100.0	2.1%	4.5%	5.9%	4.3%	2.3%	2.6%	2.9%	9.5%	3.9%	1.5%	7.8%	12.3%	41.7%	32.7
女	100.0	1.8%	5.5%	3.8%	3.5%	2.5%	3.2%	2.4%	10.5%	3.7%	1.4%	10.9%	14.4%	37.8%	32.6
80歳以上	100.0	0.0%	12.5%	0.0%	0.0%	0.0%	0.0%	0.0%	12.5%	12.5%	0.0%	12.5%	12.5%	37.5%	32.3
男	100.0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%	75.0%	33.5
女	100.0	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%	25.0%	0.0%	0.0%	25.0%	0.0%	31.5
65歳以上(再掲)	100.0	2.3%	6.5%	6.0%	3.9%	2.3%	2.8%	2.3%	9.3%	3.7%	1.4%	9.1%	12.4%	39.4%	32.9
男	100.0	2.3%	7.3%	6.9%	4.5%	2.2%	2.6%	2.4%	9.1%	3.6%	1.5%	8.3%	11.4%	39.5%	32.4
女	100.0	2.3%	5.7%	5.2%	3.4%	2.4%	3.0%	2.2%	9.5%	3.9%	1.3%	9.7%	13.3%	39.3%	33.4
不詳	100.0	0.0%	12.5%	0.0%	0.0%	0.0%	0.0%	0.0%	12.5%	12.5%	0.0%	12.5%	12.5%	37.5%	32.1
男	100.0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%	75.0%	52.5
女	100.0	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%	25.0%	0.0%	0.0%	25.0%	0.0%	11.8

第9-3表 年齢階級・性/前回診療日から調査日までの日数/別に見た再来患者の構成割合(一般診療所) <1/1>

年齢	総数	1日以内	2日	3日	4日	5日	6日	7日	8~10日	11~20日	14日(再掲)	15~20日	21~30日	31日以上	平均日数
総数	100.0%	8.2%	13.0%	2.9%	7.7%	5.8%	12.0%	3.8%	16.8%	6.7%	1.9%	9.1%	5.8%	8.2%	23.2
男	100.0%	3.8%	15.1%	2.8%	9.4%	6.6%	9.4%	3.8%	19.8%	5.7%	0.9%	9.4%	5.7%	8.5%	22.5
女	100.0%	12.7%	10.8%	2.9%	5.9%	4.9%	14.7%	3.9%	13.7%	7.8%	2.9%	8.8%	5.9%	7.8%	23.7
0歳	100.0%	5.7%	11.7%	6.6%	8.1%	10.1%	8.1%	5.9%	13.7%	6.8%	1.5%	8.5%	5.3%	9.6%	11.6
男	100.0%	5.5%	12.1%	6.4%	8.2%	9.5%	9.0%	6.0%	13.4%	6.4%	1.3%	8.7%	5.5%	9.2%	12.8
女	100.0%	6.0%	11.2%	6.8%	8.0%	10.8%	7.0%	5.7%	14.0%	7.3%	1.6%	8.2%	5.0%	10.0%	10.3
1~4歳	100.0%	5.1%	7.3%	4.2%	5.1%	6.1%	4.5%	4.1%	13.8%	8.1%	2.0%	12.9%	8.4%	20.4%	13.3
男	100.0%	5.3%	7.4%	3.5%	5.1%	5.8%	4.5%	4.2%	14.5%	8.3%	2.2%	12.5%	8.7%	20.3%	13.5
女	100.0%	4.8%	7.2%	4.9%	5.1%	6.4%	4.5%	4.0%	13.1%	7.9%	1.7%	13.4%	8.1%	20.6%	13.1
5~9歳	100.0%	6.3%	9.0%	4.7%	5.8%	5.6%	4.6%	2.7%	12.2%	6.1%	1.1%	9.0%	9.0%	25.2%	21.8
男	100.0%	7.3%	10.3%	5.3%	4.8%	5.3%	3.8%	2.7%	12.0%	4.6%	0.8%	9.0%	8.8%	26.1%	20.5
女	100.0%	5.2%	7.4%	4.0%	7.0%	5.8%	5.6%	2.7%	12.3%	7.8%	1.6%	9.0%	9.2%	24.0%	23.1
10~14歳	100.0%	6.8%	11.4%	6.3%	3.7%	4.0%	3.3%	2.6%	11.2%	4.7%	1.2%	7.9%	7.5%	30.4%	24.8
男	100.0%	6.6%	12.5%	6.9%	3.5%	4.5%	3.8%	3.5%	13.2%	6.3%	1.7%	5.6%	6.6%	27.1%	24.0
女	100.0%	7.1%	10.3%	5.7%	3.9%	3.5%	2.8%	1.8%	9.2%	3.2%	0.7%	10.3%	8.5%	33.7%	25.8
15~19歳	100.0%	6.1%	14.1%	5.0%	4.0%	2.7%	3.6%	2.3%	11.1%	4.8%	1.7%	10.3%	9.1%	26.9%	32.4
男	100.0%	6.1%	18.3%	8.0%	5.2%	3.3%	5.2%	2.3%	9.9%	4.7%	0.9%	5.6%	10.3%	21.1%	29.1
女	100.0%	6.2%	11.8%	3.3%	3.3%	2.3%	2.8%	2.3%	11.8%	4.9%	2.1%	12.8%	8.5%	30.0%	35.8
20~24歳	100.0%	5.2%	12.5%	5.0%	3.4%	2.9%	3.3%	3.3%	11.2%	6.1%	1.7%	12.2%	12.6%	22.3%	28.4
男	100.0%	6.9%	18.5%	5.6%	5.2%	3.6%	2.8%	4.0%	6.5%	2.4%	0.8%	10.9%	10.5%	23.0%	22.2
女	100.0%	4.5%	9.9%	4.7%	2.7%	2.5%	3.5%	3.0%	13.1%	7.6%	2.0%	12.8%	13.5%	22.1%	31.8
25~29歳	100.0%	5.6%	13.4%	4.5%	4.6%	4.2%	3.0%	2.9%	12.5%	4.3%	1.3%	10.1%	9.9%	24.9%	23.6
男	100.0%	6.9%	17.7%	6.3%	3.7%	2.9%	3.7%	2.9%	10.3%	4.6%	1.7%	6.9%	9.7%	24.6%	23.0
女	100.0%	5.0%	11.5%	3.8%	5.0%	4.8%	2.8%	2.9%	13.5%	4.1%	1.1%	11.5%	10.0%	25.1%	23.9
30~34歳	100.0%	6.5%	14.1%	8.1%	3.2%	3.7%	4.1%	3.3%	10.3%	6.5%	2.6%	9.3%	9.7%	21.2%	27.1
男	100.0%	6.8%	16.3%	8.3%	2.9%	3.9%	2.9%	3.3%	8.3%	6.8%	2.3%	8.1%	9.3%	23.1%	26.4
女	100.0%	6.3%	13.0%	8.1%	3.3%	3.5%	4.8%	3.3%	11.3%	6.3%	2.8%	9.9%	9.9%	20.2%	27.4
35~39歳	100.0%	6.7%	13.0%	7.0%	3.9%	3.5%	3.3%	3.0%	8.1%	5.0%	1.2%	9.5%	9.9%	27.1%	22.9
男	100.0%	6.8%	14.0%	8.4%	4.1%	3.0%	2.8%	2.8%	6.7%	4.6%	1.1%	8.8%	10.7%	27.2%	21.4
女	100.0%	6.6%	12.4%	6.1%	3.7%	3.8%	3.6%	3.1%	9.1%	5.3%	1.3%	9.9%	9.4%	27.0%	23.7
40~44歳	100.0%	6.8%	12.8%	7.4%	2.6%	3.1%	3.6%	2.5%	7.6%	5.3%	1.7%	9.2%	10.8%	28.4%	26.8
男	100.0%	8.3%	13.8%	8.5%	3.1%	2.8%	2.7%	2.0%	7.6%	3.9%	1.4%	8.9%	9.9%	28.4%	25.6
女	100.0%	5.9%	12.1%	6.7%	2.3%	3.2%	4.1%	2.8%	7.6%	6.2%	1.9%	9.4%	11.4%	28.4%	27.6
45~49歳	100.0%	6.8%	11.2%	6.1%	3.8%	3.3%	2.9%	2.5%	7.8%	4.0%	1.3%	8.8%	12.5%	30.1%	25.0
男	100.0%	6.9%	11.1%	6.8%	4.2%	2.7%	2.2%	3.1%	6.8%	3.6%	1.2%	7.1%	12.8%	32.9%	21.8
女	100.0%	6.8%	11.3%	5.6%	3.5%	3.8%	3.4%	2.2%	8.5%	4.3%	1.4%	10.0%	12.4%	28.2%	27.1
50~54歳	100.0%	5.8%	8.8%	5.6%	4.1%	2.7%	2.9%	2.5%	7.6%	4.8%	1.6%	9.4%	13.6%	32.2%	25.7
男	100.0%	6.2%	8.7%	7.1%	5.0%	2.4%	2.5%	2.3%	5.6%	4.5%	1.3%	9.0%	14.8%	31.8%	25.9
女	100.0%	5.5%	8.8%	4.4%	3.5%	2.9%	3.1%	2.6%	9.2%	5.1%	1.8%	9.7%	12.7%	32.4%	25.6
55~59歳	100.0%	5.7%	8.3%	6.1%	3.3%	2.6%	2.6%	2.1%	8.0%	3.7%	1.4%	9.5%	15.7%	32.3%	25.2
男	100.0%	5.3%	8.5%	7.8%	3.7%	2.5%	2.0%	1.7%	7.0%	3.7%	1.3%	8.6%	15.5%	33.5%	24.9
女	100.0%	6.1%	8.1%	4.9%	3.0%	2.7%	3.0%	2.5%	8.7%	3.7%	1.6%	10.1%	15.8%	31.4%	25.4
60~64歳	100.0%	5.9%	7.6%	6.3%	4.5%	2.6%	2.0%	2.5%	7.8%	3.9%	1.4%	9.4%	15.3%	32.2%	26.2
男	100.0%	6.4%	7.5%	7.4%	5.3%	2.6%	1.7%	2.3%	6.6%	3.8%	1.5%	8.7%	15.5%	32.1%	26.1
女	100.0%	5.5%	7.7%	5.4%	3.9%	2.5%	2.3%	2.6%	8.8%	4.1%	1.4%	9.9%	15.1%	32.3%	26.3
65~69歳	100.0%	6.1%	9.3%	6.1%	4.8%	2.8%	2.5%	2.5%	7.8%	4.3%	1.6%	8.9%	15.6%	29.3%	25.4
男	100.0%	5.5%	10.4%	6.7%	5.5%	2.6%	2.6%	2.6%	7.3%	3.9%	1.6%	8.1%	15.0%	29.8%	24.2
女	100.0%	6.5%	8.5%	5.7%	4.2%	3.0%	2.5%	2.5%	8.2%	4.6%	1.5%	9.6%	16.0%	28.9%	26.4
70~74歳	100.0%	7.5%	8.6%	5.6%	4.1%	2.9%	2.3%	3.0%	9.5%	4.5%	1.4%	11.4%	14.8%	25.8%	23.3
男	100.0%	7.5%	9.4%	7.0%	4.2%	3.3%	2.1%	2.8%	8.1%	4.3%	1.2%	10.2%	15.0%	26.0%	22.7
女	100.0%	7.6%	8.0%	4.6%	4.1%	2.7%	2.5%	3.1%	10.4%	4.6%	1.6%	12.1%	14.7%	25.6%	23.7
75~79歳	100.0%	8.0%	8.1%	4.9%	4.2%	2.7%	2.4%	3.1%	11.0%	4.8%	2.0%	12.7%	14.7%	23.4%	22.0
男	100.0%	7.1%	10.7%	6.5%	5.1%	2.9%	2.7%	2.8%	8.8%	4.5%	1.8%	10.9%	13.9%	24.1%	21.9
女	100.0%	8.5%	6.6%	3.9%	3.8%	2.6%	2.2%	3.3%	12.3%	5.0%	2.1%	13.7%	15.2%	23.1%	22.1
80歳以上	100.0%	9.0%	12.3%	4.3%	2.4%	3.8%	1.4%	2.4%	10.4%	6.6%	2.4%	8.5%	13.3%	25.6%	20.4
男	100.0%	7.0%	14.9%	7.0%	1.8%	3.5%	2.6%	1.8%	8.8%	4.4%	0.9%	7.0%	14.0%	27.2%	20.5
女	100.0%	11.3%	9.3%	1.0%	3.1%	4.1%	0.0%	3.1%	12.4%	9.3%	4.1%	10.3%	12.4%	23.7%	20.4
65歳以上(再掲)	100.0%	7.0%	8.4%	5.6%	4.4%	2.8%	2.3%	2.8%	9.3%	4.4%	1.6%	10.9%	15.0%	27.1%	22.5
男	100.0%	6.7%	9.5%	6.9%	5.0%	2.8%	2.3%	2.6%	7.8%	4.1%	1.5%	9.6%	14.8%	27.8%	22.3
女	100.0%	7.2%	7.6%	4.7%	4.0%	2.7%	2.3%	2.9%	10.3%	4.6%	1.7%	11.7%	15.2%	26.7%	22.7
不詳	100.0%	9.0%	12.3%	4.3%	2.4%	3.8%	1.4%	2.4%	10.4%	6.6%	2.4%	8.5%	13.3%	25.6%	22.9
男	100.0%	7.0%	14.9%	7.0%	1.8%	3.5%	2.6%	1.8%	8.8%	4.4%	0.9%	7.0%	14.0%	27.2%	23.1
女	100.0%	11.3%	9.3%	1.0%	3.1%	4.1%	0.0%	3.1%	12.4%	9.3%	4.1%	10.3%	12.4%	23.7%	22.6

第10-1表 傷病(中分類)/前回診療日から調査日までの日数/別に見た再来患者の構成割合(総数) <1/2>

傷病中分類	総数	1日以内	2日	3日	4日	5日	6日	7日	8~10日	11~14日	14日(再掲)	15~20日	21~30日	31日以上	平均日数
総数	100.0%	5.5%	8.9%	5.8%	4.1%	3.2%	3.0%	2.8%	9.7%	4.6%	1.6%	10.1%	12.8%	29.5%	25.9
b-0100 感染症及び寄生虫症	100.0%	3.3%	6.6%	5.8%	3.2%	5.3%	4.1%	4.1%	14.8%	7.2%	2.1%	12.8%	9.8%	23.1%	23.0
b-0101 腸管感染症	100.0%	8.5%	13.6%	13.6%	8.5%	1.7%	10.2%	1.7%	5.1%	1.7%	8.5%	5.1%	22.0%	28.2	
b-0102 結核	100.0%	0.0%	6.3%	18.8%	0.0%	0.0%	6.3%	6.3%	12.5%	6.3%	0.0%	12.5%	6.3%	25.0%	28.3
b-0103 主として性的伝播様式をとる感染症	100.0%	10.0%	10.0%	0.0%	0.0%	0.0%	10.0%	0.0%	20.0%	0.0%	0.0%	10.0%	10.0%	30.0%	18.1
b-0104 皮膚及び粘膜の病変を伴うウイルス疾患	100.0%	3.6%	5.3%	2.3%	2.1%	5.2%	3.4%	4.4%	23.9%	10.3%	2.7%	16.8%	9.9%	12.8%	17.0
b-0105 ウイルス肝炎	100.0%	2.4%	5.4%	10.1%	5.2%	8.6%	5.0%	5.0%	9.9%	4.1%	1.5%	10.3%	9.3%	24.8%	24.2
b-0106 その他のウイルス疾患	100.0%	0.0%	26.9%	11.5%	9.6%	7.7%	5.8%	7.7%	7.7%	3.8%	0.0%	3.8%	5.8%	9.6%	11.5
b-0107 真菌症	100.0%	3.8%	2.6%	2.6%	0.4%	1.1%	2.6%	2.3%	7.9%	7.1%	2.3%	11.7%	14.3%	43.6%	32.0
b-0108 感染症及び寄生虫症の続発・後遺症	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	50.0%	123.0
b-0109 その他の感染症及び寄生虫症	100.0%	3.2%	10.0%	4.5%	2.7%	5.0%	3.6%	3.6%	16.3%	9.0%	2.7%	13.6%	6.8%	21.7%	22.8
b-0200 新生物	100.0%	3.5%	10.1%	2.1%	1.4%	3.0%	3.2%	3.0%	13.1%	4.9%	1.5%	10.9%	10.4%	34.5%	37.0
b-0201 胃の悪性新生物	100.0%	4.8%	5.9%	3.7%	2.7%	2.1%	5.3%	5.9%	11.2%	5.3%	1.1%	16.5%	10.1%	26.6%	27.6
b-0202 結腸の悪性新生物	100.0%	13.2%	5.8%	0.8%	1.7%	4.1%	3.3%	4.1%	13.2%	2.5%	0.8%	10.7%	9.1%	31.4%	31.7
b-0203 直腸S状結腸移行部及び直腸の悪性新生物	100.0%	6.8%	7.4%	2.1%	2.1%	2.1%	3.7%	3.2%	12.1%	5.3%	1.1%	16.8%	13.2%	25.3%	26.1
b-0204 肝及び肝内胆管の悪性新生物	100.0%	0.0%	9.0%	4.0%	2.0%	2.0%	4.0%	4.0%	15.0%	3.0%	2.0%	11.0%	16.0%	30.0%	27.6
b-0205 気管、気管支及び肺の悪性新生物	100.0%	1.4%	9.0%	1.8%	1.8%	5.0%	2.7%	3.6%	14.0%	5.4%	1.8%	12.2%	11.7%	31.5%	30.4
b-0206 乳房の悪性新生物	100.0%	1.7%	16.8%	0.9%	1.3%	2.8%	1.9%	3.4%	11.4%	3.9%	1.1%	9.7%	9.2%	37.0%	43.5
b-0207 子宮の悪性新生物	100.0%	1.2%	4.9%	1.8%	0.6%	1.2%	3.7%	0.0%	11.0%	5.5%	0.0%	11.6%	10.4%	48.2%	54.1
b-0208 悪性リンパ腫	100.0%	3.7%	14.8%	1.2%	1.2%	1.2%	2.5%	6.2%	11.1%	6.2%	2.5%	8.6%	3.7%	39.5%	31.2
b-0209 白血病	100.0%	3.0%	12.1%	0.0%	0.0%	6.1%	3.0%	3.0%	18.2%	6.1%	0.0%	6.1%	12.1%	30.3%	30.2
b-0210 その他の悪性新生物	100.0%	3.5%	11.3%	2.2%	1.0%	3.4%	3.4%	2.4%	14.4%	4.7%	1.8%	8.0%	10.7%	34.9%	35.5
b-0211 良性新生物及びその他の新生物	100.0%	3.7%	6.8%	2.9%	1.8%	2.6%	2.7%	2.6%	12.8%	6.0%	2.2%	13.3%	9.3%	35.5%	43.2
b-0300 血液及び造血器の疾患並びに免疫機構の障害	100.0%	4.1%	7.6%	2.2%	3.0%	3.0%	3.3%	4.1%	12.8%	7.1%	3.0%	9.8%	11.1%	32.1%	31.1
b-0301 貧血	100.0%	2.5%	8.8%	2.9%	3.8%	4.2%	3.4%	3.4%	16.4%	6.7%	2.5%	9.2%	10.5%	28.2%	28.0
b-0302 その他の血液及び造血器の疾患並びに免疫機構の障害	100.0%	6.9%	5.4%	0.8%	1.5%	0.8%	3.1%	5.4%	6.2%	7.7%	3.8%	10.8%	12.3%	39.2%	36.8
b-0400 内分泌、栄養及び代謝疾患	100.0%	4.0%	2.3%	1.3%	1.0%	1.3%	1.6%	1.7%	4.2%	3.9%	1.7%	10.6%	19.4%	48.8%	33.4
b-0401 甲状腺障害	100.0%	3.7%	3.5%	0.0%	2.7%	1.7%	1.7%	1.5%	8.5%	3.7%	2.5%	8.7%	13.7%	50.5%	45.9
b-0402 糖尿病	100.0%	3.9%	2.5%	1.6%	0.8%	1.2%	1.6%	1.4%	3.7%	3.6%	1.5%	11.0%	19.1%	49.5%	31.8
b-0403 その他の内分泌、栄養及び代謝疾患	100.0%	4.1%	1.8%	1.0%	0.8%	1.3%	1.5%	2.1%	4.0%	4.3%	1.8%	10.5%	21.1%	47.5%	33.0
b-0500 精神及び行動の障害	100.0%	3.5%	13.4%	3.0%	1.4%	1.9%	1.9%	1.4%	9.9%	4.2%	2.1%	16.0%	17.3%	25.9%	22.6
b-0501 血管性及び詳細不明の認知症	100.0%	23.5%	0.5%	0.0%	1.6%	2.7%	1.1%	2.1%	16.0%	3.7%	2.7%	24.1%	11.2%	13.4%	16.4
b-0502 精神作用物質使用による精神及び行動の障害	100.0%	0.0%	15.7%	0.0%	0.0%	2.0%	2.0%	0.0%	5.9%	7.8%	5.9%	23.5%	19.6%	23.5%	21.4
b-0503 統合失調症、統合失調症型障害及び妄想性障害	100.0%	1.3%	33.9%	5.8%	2.8%	3.9%	2.4%	1.3%	8.3%	3.2%	1.6%	11.0%	10.7%	15.3%	14.7
b-0504 気分[感情]障害(躁うつ病を含む)	100.0%	2.4%	6.1%	2.4%	1.2%	1.4%	2.2%	1.5%	12.3%	5.0%	2.3%	17.7%	20.8%	26.8%	23.7
b-0505 神経症性障害、ストレス関連障害及び身体表現性障害	100.0%	2.9%	4.0%	1.7%	0.7%	0.5%	1.2%	1.5%	8.9%	5.2%	2.9%	18.5%	20.3%	34.7%	29.3
b-0506 知的障害<精神遅滞>	100.0%	2.9%	8.6%	1.4%	0.0%	0.7%	1.4%	1.4%	6.5%	2.9%	0.7%	13.7%	22.3%	38.1%	32.1
b-0507 その他の精神及び行動の障害	100.0%	3.0%	8.4%	3.5%	0.0%	0.5%	2.0%	1.0%	5.4%	1.5%	0.0%	13.4%	19.3%	42.1%	29.4
b-0600 神経系の疾患	100.0%	6.4%	4.2%	1.7%	1.2%	2.1%	2.3%	3.6%	7.9%	4.8%	1.6%	14.1%	15.8%	35.9%	28.7
b-0601 パーキンソン病	100.0%	5.3%	4.3%	1.6%	1.6%	1.6%	3.2%	3.2%	10.2%	3.7%	0.5%	17.6%	10.7%	36.9%	26.2
b-0602 アルツハイマー病	100.0%	13.1%	2.5%	1.5%	0.7%	1.6%	0.7%	6.6%	6.8%	5.6%	2.2%	22.8%	14.4%	23.6%	21.1
b-0603 てんかん	100.0%	1.6%	5.3%	0.8%	0.8%	0.4%	1.2%	1.6%	8.2%	1.2%	0.4%	7.8%	11.1%	59.7%	43.1
b-0604 脳性麻痺及びその他の麻痺性症候群	100.0%	2.6%	10.5%	6.6%	2.6%	1.3%	5.3%	1.3%	21.1%	6.6%	3.9%	14.5%	9.2%	18.4%	19.6
b-0605 自律神経系の障害	100.0%	0.0%	0.0%	0.0%	3.2%	6.5%	6.5%	3.2%	9.7%	12.9%	6.5%	12.9%	16.1%	29.0%	23.7
b-0606 その他の神経系の疾患	100.0%	3.6%	4.8%	1.9%	1.4%	2.8%	3.1%	2.3%	7.0%	5.0%	1.2%	8.8%	19.4%	40.0%	31.9
b-0700 眼及び付属器の疾患	100.0%	4.4%	4.5%	1.1%	2.2%	1.4%	1.4%	1.6%	5.2%	3.2%	1.1%	5.3%	10.4%	59.2%	56.9
b-0701 結膜炎	100.0%	4.7%	0.0%	3.0%	4.3%	0.9%	1.7%	3.4%	6.4%	3.9%	0.9%	7.3%	10.3%	54.1%	51.7
b-0702 白内障	100.0%	3.7%	7.0%	1.2%	3.4%	2.2%	1.4%	1.9%	4.9%	4.2%	1.8%	5.9%	11.5%	52.7%	45.8
b-0703 屈折及び調節の障害	100.0%	5.4%	2.3%	0.7%	0.5%	0.9%	1.9%	0.7%	3.5%	2.6%	1.2%	4.4%	5.2%	71.9%	97.1
b-0704 その他の眼及び付属器の疾患	100.0%	4.5%	4.4%	0.8%	1.8%	1.3%	1.3%	1.5%	5.6%	2.8%	0.7%	5.0%	11.2%	59.8%	53.5
b-0800 耳及び乳突突起の疾患	100.0%	1.8%	9.4%	4.1%	7.1%	7.3%	5.0%	5.3%	18.9%	4.8%	1.2%	10.2%	8.7%	17.2%	19.0
b-0801 外耳炎	100.0%	0.0%	11.1%	4.4%	13.3%	11.1%	8.9%	8.9%	15.6%	6.7%	2.2%	8.9%	6.7%	4.4%	9.2
b-0802 その他の外耳疾患	100.0%	4.3%	12.8%	0.0%	6.4%	6.4%	2.1%	12.8%	17.0%	4.3%	2.1%	19.1%	0.0%	14.9%	13.9
b-0803 中耳炎	100.0%	1.5%	10.2%	5.5%	10.7%	11.7%	5.3%	6.4%	19.8%	5.8%	1.3%	6.4%	7.5%	9.2%	13.8
b-0804 その他の中耳及び乳突突起の疾患	100.0%	1.9%	9.6%	3.8%	1.9%	7.7%	5.8%	1.9%	26.9%	5.8%	1.9%	15.4%	11.5%	7.7%	14.1
b-0805 メニエール病	100.0%	3.3%	6.6%	1.6%	3.3%	3.3%	4.9%	3.3%	26.2%	4.9%	1.6%	9.8%	11.5%	21.3%	21.4
b-0806 その他の内耳疾患	100.0%	1.9%	7.7%	1.9%	2.6%	1.3%	3.2%	2.6%	17.4%	5.2%	0.6%	12.3%	12.3%	31.6%	27.6
b-0807 その他の耳疾患	100.0%	1.8%	8.4%	4.2%	3.0%	1.2%	5.4%	3.6%	13.8%	1.2%	0.6%	15.6%	10.2%	31.7%	30.5
b-0900 循環器系の疾患	100.0%	4.6%	2.4%	2.3%	2.2%	1.3%	1.4%	1.7%	5.3%	4.3%	1.7%	10.9%	20.9%	42.7%	29.6
b-0901 高血圧性疾患	100.0%	5.1%	2.2%	0.9%	0.8%	1.0%	1.1%	1.3%	4.4%	4.3%	1.8%	10.9%	24.2%	43.7%	29.0
b-0902 虚血性心疾患	100.0%	2.2%	1.7%	3.0%	1.4%	1.0%	1.8%	1.5%	5.9%	3.6%	1.6%	9.5%	15.8%	52.7%	35.4
b-0903 その他の心疾患	100.0%	3.3%	2.8%	9.3%	11.3%	1.7%	1.8%	1.6%	4.7%	4.6%	1.9%	8.0%	13.0%	37.9%	30.6
b-0904 くも膜下出血	100.0%	2.6%	2.6%	5.3%	2.6%	5.3%	0.0%	7.9%	7.9%	7.9%	0.0%	5.3%	5.3%	47.4%	45.0
b-0905 脳内出血	100.0%	11.8%	2.9%	8.1%	4.4%	2.9%	0.7%	8.8%	12.5%	2.9%	0.7%	11.8%	8.1%	25.0%	21.5
b-0906 脳梗塞	100.0%	3.7%	3.2%	2.9%	1.8%	2.5%	2.8%	3.5%	11.6%	3.7%	0.9%	15.1%	13.1%	36.0%	28.1
b-0907 脳動脈硬化(症)	100.0%	7.7%	0.0%	0.0%	7.7%	0.0%	7.7%	0.0%	0.0%	0.0%	0.0%	7.7%	30.8%	38.5%	26.8
b-0908 その他の脳血管疾患	100.0%	5.4%	4.5%	7.1%	0.9%	0.0%	1.8%	8.0%	8.0%	5.4%	0.9%	14.3%	9.8%	34.8%	29.9
b-0909 動脈硬化(症)	100.0%	1.8%	1.8%	3.6%	1.8%	3.6%	5.5%	3.6%	3.6%	7.3%	1.8%	20.0%	14.5%	32.7%	32.8
b-0911 低血圧(症)	100.0%	0.0%	0.0%	0.0%	8.3%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	41.7%	8.3%	33.3%	27.6
b-0912 その他の循環器系の疾患	100.0%	3.0%	4.3%	3.0%	3.4%	3.0%	1.7%	3.0%	9.4%	6.0%	2.6%	11.9%	9.8%	41.7%	35.2
b-1000 呼吸器系の疾患	100.0%	3.9%	9.0%	5.0%	4.9%	7.0%	7.0%	4.3%	12.1%	7.0%	1.7%	10.3%	8.8%	20.7%	21.5
b-1001 急性鼻咽頭炎[かぜ] <感冒>	100.0%	1.4%	16.4%	7.5%	7.5%	4.1%	9.2%	5.8%	13.7%	4.1%	0.7%	9.6%	6.5%	14.3%	17.9
b-1002 急性咽喉炎及び急性扁桃炎	100.0%	3.0%	9.8%	8.2%	7.7%	9.8%	8.3%	5.2%	11.6%	7.2%	1.9%	9.2%			

第10-1表 傷病(中分類)/前回診療日から調査日までの日数/別に見た再来患者の構成割合(総数) <2/2>

傷病中分類	総数	1日以内	2日	3日	4日	5日	6日	7日	8~10日	11~14日	14日(再掲)	15~20日	21~30日	31日以上	平均日数
b-1100 消化器系の疾患	100.0%	3.9%	5.3%	2.6%	1.8%	2.8%	3.7%	3.0%	13.2%	6.3%	1.8%	15.4%	15.2%	26.8%	26.3
b-1101 う蝕	100.0%	0.0%	4.2%	4.2%	0.0%	4.2%	4.2%	2.1%	25.0%	12.5%	2.1%	22.9%	16.7%	4.2%	14.1
b-1102 歯肉炎及び歯周疾患	100.0%	0.5%	8.5%	2.0%	1.5%	2.5%	3.0%	3.5%	32.7%	4.5%	0.5%	18.6%	10.6%	12.1%	17.3
b-1103 その他の歯及び歯の支持組織の障害	100.0%	0.0%	2.2%	2.2%	0.0%	4.3%	1.1%	4.3%	37.0%	13.0%	4.3%	22.8%	9.8%	3.3%	15.3
b-1104 胃潰瘍及び十二指腸潰瘍	100.0%	6.7%	3.7%	1.8%	1.2%	3.7%	1.8%	3.7%	7.3%	11.6%	4.9%	11.6%	14.6%	32.3%	27.4
b-1105 胃炎及び十二指腸炎	100.0%	4.6%	4.1%	2.6%	1.5%	2.2%	3.8%	2.4%	8.9%	5.9%	1.6%	15.2%	19.1%	29.7%	28.1
b-1106 痔核	100.0%	3.3%	3.3%	2.2%	1.1%	1.1%	2.2%	0.0%	5.5%	8.8%	3.3%	25.3%	12.1%	35.2%	32.9
b-1107 アルコール性肝疾患	100.0%	8.3%	11.1%	2.8%	5.6%	5.6%	0.0%	5.6%	0.0%	5.6%	2.8%	8.3%	11.1%	36.1%	36.9
b-1108 慢性肝炎(アルコール性のものを除く)	100.0%	7.2%	9.3%	4.1%	4.1%	4.1%	5.2%	6.2%	16.5%	5.2%	2.1%	10.3%	10.3%	17.5%	17.0
b-1109 肝硬変(アルコール性のものを除く)	100.0%	3.0%	3.0%	4.5%	1.5%	4.5%	4.5%	6.1%	9.1%	3.0%	0.0%	13.6%	7.6%	39.4%	25.7
b-1110 その他の肝疾患	100.0%	3.3%	8.9%	1.6%	3.3%	3.3%	4.9%	3.3%	13.0%	1.6%	0.0%	11.4%	11.4%	34.1%	33.3
b-1111 胆石症及び胆のう炎	100.0%	2.4%	10.7%	2.4%	1.2%	3.6%	7.1%	3.6%	15.5%	2.4%	0.0%	16.7%	8.3%	26.2%	25.9
b-1112 膵疾患	100.0%	1.9%	5.8%	3.8%	7.7%	1.9%	5.8%	1.9%	7.7%	5.8%	1.9%	7.7%	13.5%	36.5%	35.4
b-1113 その他の消化器系の疾患	100.0%	25.6%	5.7%	2.9%	3.2%	2.7%	3.1%	3.1%	6.6%	5.5%	1.8%	8.8%	9.6%	23.3%	21.5
b-1200 皮膚及び皮下組織の疾患	100.0%	6.3%	5.0%	3.6%	1.8%	2.5%	2.4%	2.0%	10.4%	5.6%	1.9%	13.4%	13.3%	33.6%	28.1
b-1201 皮膚及び皮下組織の感染症	100.0%	7.0%	11.3%	4.3%	2.6%	6.1%	7.0%	2.6%	14.8%	5.2%	0.9%	12.2%	13.9%	13.0%	14.9
b-1202 皮膚炎及び湿疹	100.0%	4.2%	1.2%	1.3%	1.8%	2.1%	2.1%	1.4%	10.7%	4.9%	1.9%	15.7%	15.7%	39.0%	32.3
b-1203 その他の皮膚及び皮下組織の疾患	100.0%	7.5%	6.8%	4.9%	1.8%	2.4%	2.3%	2.2%	9.9%	6.1%	2.0%	12.3%	11.9%	32.1%	26.7
b-1300 筋骨格系及び結合組織の疾患	100.0%	5.9%	15.2%	9.0%	5.3%	5.2%	4.0%	4.2%	15.1%	3.6%	1.2%	8.2%	9.0%	15.4%	16.6
b-1301 炎症性多発性関節障害	100.0%	3.5%	3.3%	4.6%	2.1%	2.7%	1.7%	2.7%	9.4%	4.6%	1.0%	7.9%	18.8%	38.8%	31.1
b-1302 関節症	100.0%	6.5%	12.4%	6.1%	5.0%	5.8%	3.3%	4.0%	18.9%	3.4%	1.6%	11.4%	9.9%	13.4%	16.6
b-1303 脊椎障害(脊椎症を含む)	100.0%	5.9%	19.1%	11.7%	6.3%	5.0%	4.1%	4.1%	14.2%	3.5%	1.4%	6.7%	6.8%	12.6%	14.0
b-1304 椎間板障害	100.0%	6.5%	17.7%	13.7%	6.0%	6.4%	6.0%	4.5%	14.2%	3.9%	0.9%	5.8%	6.9%	8.5%	12.1
b-1305 頸胸症候群	100.0%	4.7%	23.4%	11.7%	3.5%	8.2%	5.8%	4.7%	11.7%	4.7%	1.2%	8.2%	4.7%	8.8%	11.5
b-1306 腰痛症及び坐骨神経痛	100.0%	9.3%	22.2%	10.5%	5.4%	5.5%	3.8%	3.3%	9.5%	4.2%	1.6%	7.6%	8.3%	10.3%	12.7
b-1307 その他の脊柱障害	100.0%	5.6%	21.7%	9.6%	5.6%	7.6%	3.4%	4.2%	14.1%	2.8%	0.6%	6.4%	6.8%	12.0%	14.1
b-1308 肩の傷害<損傷>	100.0%	4.3%	20.9%	10.7%	7.0%	9.1%	7.5%	3.2%	17.6%	3.7%	1.1%	7.5%	3.7%	4.8%	9.4
b-1309 骨の密度及び構造の障害	100.0%	3.2%	6.3%	3.6%	2.6%	2.7%	1.9%	4.7%	17.1%	3.8%	1.5%	7.0%	16.5%	30.5%	24.7
b-1310 その他の筋骨格系及び結合組織の疾患	100.0%	5.6%	12.2%	8.9%	6.2%	4.5%	5.4%	5.0%	15.7%	3.2%	0.8%	9.5%	7.6%	16.2%	18.4
b-1400 腎尿路生殖器系の疾患	100.0%	4.1%	6.2%	26.3%	18.0%	1.7%	1.2%	1.2%	5.4%	2.8%	0.9%	5.7%	7.7%	19.7%	19.4
b-1401 糸球体疾患及び腎尿管管間質性疾患	100.0%	0.0%	9.0%	3.0%	6.0%	0.0%	1.5%	0.0%	9.0%	1.5%	0.0%	10.4%	17.9%	41.8%	40.0
b-1402 腎不全	100.0%	3.9%	2.2%	51.5%	36.3%	0.5%	0.4%	0.2%	0.8%	0.4%	0.1%	1.0%	1.0%	1.9%	4.7
b-1403 尿路結石症	100.0%	5.5%	5.5%	1.4%	0.0%	2.7%	0.0%	1.4%	6.8%	8.2%	4.1%	9.6%	15.1%	43.8%	40.0
b-1404 その他の腎尿路系の疾患	100.0%	6.5%	7.4%	1.6%	2.8%	2.8%	1.4%	3.0%	10.8%	4.4%	2.3%	11.1%	13.1%	35.3%	33.5
b-1405 前立腺肥大(症)	100.0%	8.6%	2.3%	1.0%	0.6%	1.2%	1.6%	1.4%	5.8%	2.3%	0.8%	7.4%	17.5%	50.2%	37.2
b-1406 その他の男性生殖器の疾患	100.0%	4.4%	10.3%	1.5%	1.5%	2.9%	7.4%	11.8%	1.5%	1.5%	8.8%	8.8%	39.7%	35.4	
b-1407 月経障害及び閉経周辺期障害	100.0%	3.0%	0.8%	3.4%	1.1%	3.8%	1.5%	2.3%	4.5%	5.6%	4.0%	6.0%	18.4%	49.6%	38.9
b-1408 乳房及びその他の女性生殖器の疾患	100.0%	1.6%	17.5%	9.4%	3.7%	3.6%	2.6%	1.5%	11.6%	6.6%	2.0%	11.2%	9.7%	21.0%	25.0
b-1500 妊娠、分娩及び産じょく	100.0%	2.1%	8.9%	2.1%	6.8%	4.2%	3.2%	5.3%	22.6%	11.1%	3.7%	16.8%	10.5%	6.3%	13.2
b-1501 流産	100.0%	3.2%	16.1%	0.0%	9.7%	6.5%	6.5%	6.5%	25.8%	6.5%	3.2%	9.7%	9.7%	0.0%	8.7
b-1502 妊娠高血圧症候群	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.0
b-1503 単胎自然分娩	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%	0.0%	33.3%	0.0%	0.0%	33.3%	0.0%	0.0%	10.3
b-1504 その他の妊娠、分娩及び産じょく	100.0%	2.0%	7.8%	2.6%	6.5%	3.3%	2.6%	5.2%	20.3%	12.4%	3.9%	18.3%	11.1%	7.8%	14.3
b-1600 周産期に発生した病態	100.0%	3.4%	1.7%	3.4%	5.1%	8.5%	1.7%	6.8%	5.1%	0.0%	8.5%	11.9%	39.0%	36.8	
b-1601 妊娠及び胎児発育に関連する障害	100.0%	0.0%	0.0%	2.7%	2.7%	8.1%	2.7%	10.8%	8.1%	2.7%	0.0%	2.7%	8.1%	51.4%	49.0
b-1602 その他の周産期に発生した病態	100.0%	9.1%	4.5%	4.5%	9.1%	9.1%	0.0%	0.0%	9.1%	0.0%	18.2%	18.2%	18.2%	16.2	
b-1700 先天奇形、変形及び染色体異常	100.0%	0.0%	1.7%	6.0%	1.7%	1.7%	1.7%	3.4%	12.8%	6.0%	0.9%	17.1%	13.7%	34.2%	37.5
b-1701 心臓の先天奇形	100.0%	0.0%	0.0%	6.9%	0.0%	0.0%	0.0%	0.0%	24.1%	3.4%	0.0%	10.3%	24.1%	31.0%	32.4
b-1702 その他の先天奇形、変形及び染色体異常	100.0%	0.0%	2.3%	5.7%	2.3%	2.3%	2.3%	4.5%	9.1%	6.8%	1.1%	19.3%	10.2%	35.2%	39.1
b-1800 症状、徴候及び異常臨床所見・異常検査所見で他に分類されないもの	100.0%	3.2%	11.4%	5.4%	2.4%	4.5%	3.6%	4.1%	9.8%	5.6%	1.9%	12.8%	11.3%	25.9%	26.6
b-1900 損傷、中毒及びその他の外因の影響	100.0%	7.0%	34.8%	11.9%	6.4%	5.0%	4.0%	3.2%	10.5%	3.0%	1.1%	4.1%	3.9%	6.0%	9.0
b-1901 骨折	100.0%	8.0%	15.6%	9.2%	4.8%	5.9%	5.8%	3.5%	18.4%	4.2%	1.6%	6.9%	7.2%	10.4%	13.7
b-1902 頭蓋内損傷及び内臓の損傷	100.0%	10.3%	10.3%	3.4%	3.4%	3.4%	3.4%	0.0%	31.0%	3.4%	0.0%	6.9%	13.8%	10.3%	13.8
b-1903 熱傷及び腐食	100.0%	10.0%	24.0%	22.0%	6.0%	8.0%	2.0%	2.0%	14.0%	6.0%	4.0%	2.0%	2.0%	2.0%	5.6
b-1904 中毒	100.0%	0.0%	4.8%	0.0%	0.0%	4.8%	4.8%	4.8%	19.0%	14.3%	9.5%	23.8%	19.0%	4.8%	25.8
b-1905 その他の損傷及びその他の外因の影響	100.0%	6.6%	41.8%	12.8%	7.0%	4.7%	3.4%	3.2%	7.7%	2.5%	0.9%	3.1%	2.6%	4.6%	7.3
b-2100 健康状態に影響を及ぼす要因及び保健サービスの利用	100.0%	22.8%	2.4%	1.4%	1.6%	1.9%	3.3%	3.6%	14.7%	6.3%	2.0%	13.4%	10.1%	18.7%	24.4
b-2101 検査及び診査のための保健サービスの利用者	100.0%	31.0%	1.4%	1.9%	1.5%	1.2%	3.3%	1.9%	8.3%	6.2%	1.7%	11.9%	10.2%	21.1%	25.7
b-2102 予防接種	100.0%	22.2%	2.2%	1.5%	1.6%	2.0%	3.9%	4.1%	18.4%	6.1%	1.7%	11.0%	7.2%	19.8%	26.2
b-2103 正常妊娠及び産じょくの管理並びに家族計画	100.0%	3.8%	1.9%	0.8%	1.7%	1.9%	1.7%	5.2%	20.1%	8.2%	4.0%	26.2%	19.5%	9.2%	16.4
b-2104 歯の補てつ	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0
b-2105 特定の処置(歯の補てつを除く)及び保健ケアのための保健サービスの利用者	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.0
b-2106 その他の理由による保健サービスの利用者	100.0%	35.6%	6.2%	1.0%	1.7%	3.1%	3.1%	2.4%	6.2%	3.8%	0.7%	6.6%	6.2%	23.9%	27.0
b-2200 特殊目的用コード	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0
b-2210 重症急性呼吸器症候群[SARS]	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0
b-2220 その他の特殊目的用コード	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0
不詳	100.0%	6.8%	6.1%	2.5%	2.5%	2.5%	2.9%	3.1%	7.7%	6.0%	1.8%	11.8%	13.5%	34.5%	29.7

第10-2表 傷病(中分類)/前回診療日から調査日までの日数/別に見た再来患者の構成割合(病院) <1/2>

傷病中分類	総数	1日以内	2日	3日	4日	5日	6日	7日	8~10日	11~14日	14日(再掲)	15~20日	21~30日	31日以上	平均日数
総数	100.0%	3.5%	5.5%	2.3%	2.3%	2.8%	3.2%	3.2%	9.1%	5.6%	1.3%	13.4%	12.5%	36.6%	32.7
b-0100 感染症及び寄生虫症	100.0%	2.5%	6.5%	6.8%	2.0%	3.3%	4.5%	3.5%	10.5%	3.5%	1.8%	13.5%	10.8%	32.8%	32.1
b-0101 腸管感染症	100.0%	33.3%	0.0%	16.7%	0.0%	0.0%	16.7%	0.0%	0.0%	16.7%	16.7%	0.0%	0.0%	16.7%	19.5
b-0102 結核	100.0%	0.0%	10.0%	20.0%	0.0%	0.0%	10.0%	10.0%	20.0%	0.0%	0.0%	0.0%	10.0%	20.0%	25.8
b-0103 主として性的伝播様式をとる感染症	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.0
b-0104 皮膚及び粘膜の病変を伴うウイルス疾患	100.0%	3.1%	4.7%	6.3%	0.0%	1.6%	3.1%	3.1%	15.6%	6.3%	4.7%	15.6%	18.8%	21.9%	25.3
b-0105 ウイルス肝炎	100.0%	2.0%	5.4%	7.3%	2.9%	3.9%	3.9%	2.9%	10.2%	2.4%	0.5%	15.1%	8.3%	35.6%	34.5
b-0106 その他のウイルス疾患	100.0%	0.0%	11.8%	5.9%	0.0%	5.9%	5.9%	11.8%	11.8%	5.9%	0.0%	5.9%	5.9%	29.4%	23.6
b-0107 真菌症	100.0%	5.3%	5.3%	0.0%	0.0%	5.3%	0.0%	5.3%	10.5%	5.3%	5.3%	5.3%	5.3%	52.6%	33.4
b-0108 感染症及び寄生虫症の続発・後遺症	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	66.7%	157.0
b-0109 その他の感染症及び寄生虫症	100.0%	1.3%	10.7%	5.3%	2.7%	2.7%	5.3%	2.7%	6.7%	2.7%	1.3%	14.7%	13.3%	32.0%	30.0
b-0200 新生物	100.0%	2.7%	10.7%	1.8%	1.2%	3.2%	3.3%	3.0%	12.7%	4.7%	1.4%	11.0%	9.8%	35.8%	38.1
b-0201 胃の悪性新生物	100.0%	3.9%	4.7%	3.1%	1.6%	3.1%	5.4%	7.0%	11.6%	5.4%	1.6%	19.4%	8.5%	26.4%	29.6
b-0202 結腸の悪性新生物	100.0%	13.1%	6.5%	0.9%	1.9%	4.7%	3.7%	2.8%	15.0%	1.9%	0.9%	9.3%	9.3%	30.8%	32.1
b-0203 直腸S状結腸移行部及び直腸の悪性新生物	100.0%	6.5%	7.1%	1.9%	2.6%	2.6%	3.2%	3.2%	11.0%	5.8%	1.3%	16.1%	13.5%	26.5%	27.6
b-0204 肝及び肝内胆管の悪性新生物	100.0%	0.0%	7.8%	3.3%	2.2%	2.2%	4.4%	4.4%	15.6%	2.2%	1.1%	12.2%	17.8%	27.8%	27.0
b-0205 気管、気管支及び肺の悪性新生物	100.0%	1.5%	8.8%	1.5%	1.5%	5.0%	3.0%	3.5%	14.1%	6.0%	2.0%	10.6%	11.6%	33.2%	31.6
b-0206 乳房の悪性新生物	100.0%	1.0%	19.1%	0.7%	1.2%	2.7%	1.5%	3.7%	9.4%	3.5%	1.0%	9.7%	8.7%	38.7%	45.0
b-0207 子宮の悪性新生物	100.0%	1.3%	4.7%	0.7%	0.7%	1.3%	4.0%	0.0%	10.1%	4.7%	0.0%	12.1%	9.4%	51.0%	55.6
b-0208 悪性リンパ腫	100.0%	3.7%	14.8%	1.2%	1.2%	1.2%	2.5%	6.2%	11.1%	6.2%	2.5%	8.6%	3.7%	39.5%	31.2
b-0209 白血病	100.0%	3.1%	9.4%	0.0%	0.0%	6.3%	3.1%	3.1%	18.8%	6.3%	0.0%	6.3%	12.5%	31.3%	31.0
b-0210 その他の悪性新生物	100.0%	1.9%	13.3%	2.0%	0.9%	3.9%	3.7%	2.4%	14.5%	4.8%	1.5%	8.0%	8.6%	35.9%	35.7
b-0211 良性新生物及びその他の新生物	100.0%	3.2%	4.5%	2.7%	1.1%	2.1%	3.2%	2.1%	12.5%	5.3%	2.1%	14.6%	10.9%	37.9%	45.6
b-0300 血液及び造血器の疾患並びに免疫機構の障害	100.0%	5.9%	6.5%	1.2%	1.8%	1.8%	3.6%	3.6%	7.7%	7.1%	4.1%	10.7%	13.6%	36.7%	35.5
b-0301 貧血	100.0%	3.3%	8.3%	1.7%	1.7%	3.3%	5.0%	1.7%	10.0%	5.0%	3.3%	10.0%	16.7%	33.3%	37.3
b-0302 その他の血液及び造血器の疾患並びに免疫機構の障害	100.0%	7.3%	5.5%	0.9%	1.8%	0.9%	2.8%	4.6%	6.4%	8.3%	4.6%	11.0%	11.9%	38.5%	34.5
b-0400 内分泌、栄養及び代謝疾患	100.0%	1.5%	3.0%	2.0%	1.6%	1.5%	1.7%	1.6%	3.7%	2.6%	1.0%	6.0%	12.6%	62.2%	41.0
b-0401 甲状腺障害	100.0%	1.5%	6.7%	0.0%	3.0%	0.7%	3.0%	1.5%	6.7%	3.0%	1.5%	7.4%	5.9%	60.7%	52.7
b-0402 糖尿病	100.0%	1.7%	2.9%	2.2%	1.6%	1.4%	1.6%	1.6%	3.2%	2.3%	1.2%	5.5%	14.2%	61.7%	38.0
b-0403 その他の内分泌、栄養及び代謝疾患	100.0%	0.7%	1.8%	2.1%	1.1%	2.1%	1.4%	1.4%	3.5%	3.2%	0.4%	7.0%	11.3%	64.4%	44.6
b-0500 精神及び行動の障害	100.0%	0.4%	24.9%	4.0%	1.3%	2.6%	2.2%	1.1%	9.4%	2.8%	1.3%	12.2%	14.2%	25.0%	20.9
b-0501 血管性及び詳細不明の認知症	100.0%	0.0%	3.8%	0.0%	0.0%	0.0%	0.0%	0.0%	11.5%	7.7%	7.7%	46.2%	19.2%	11.5%	22.5
b-0502 精神作用物質使用による精神及び行動の障害	100.0%	0.0%	24.2%	0.0%	0.0%	3.0%	3.0%	0.0%	6.1%	6.1%	3.0%	15.2%	12.1%	30.3%	20.8
b-0503 統合失調症、統合失調症型障害及び妄想性障害	100.0%	0.3%	42.6%	5.7%	2.2%	4.2%	2.2%	1.1%	6.8%	2.5%	0.9%	8.8%	9.1%	14.5%	13.3
b-0504 気分[感情]障害(躁うつ病を含む)	100.0%	0.3%	11.5%	3.0%	1.1%	1.4%	2.5%	0.5%	13.4%	3.0%	1.6%	14.2%	18.1%	31.0%	24.2
b-0505 神経症性障害、ストレス関連障害及び身体表現性障害	100.0%	0.0%	6.5%	2.7%	0.0%	1.1%	2.2%	2.7%	13.6%	3.3%	1.6%	13.6%	19.6%	34.8%	29.2
b-0506 知的障害<精神遅滞>	100.0%	1.7%	6.9%	1.7%	0.0%	1.7%	0.0%	0.0%	6.9%	0.0%	0.0%	6.9%	27.6%	46.6%	42.3
b-0507 その他の精神及び行動の障害	100.0%	1.8%	12.8%	2.8%	0.0%	0.9%	2.8%	0.9%	5.5%	1.8%	0.0%	16.5%	13.8%	40.4%	27.9
b-0600 神経系の疾患	100.0%	0.8%	4.3%	1.9%	1.2%	2.6%	2.5%	2.4%	9.5%	3.4%	0.8%	11.5%	13.2%	46.7%	34.8
b-0601 パーキンソン病	100.0%	0.9%	3.7%	2.8%	0.9%	2.8%	3.7%	1.9%	10.2%	3.7%	0.9%	11.1%	11.1%	47.2%	30.6
b-0602 アルツハイマー病	100.0%	1.0%	3.0%	2.5%	1.0%	4.5%	0.0%	3.5%	6.5%	3.0%	1.0%	18.4%	12.9%	43.8%	30.5
b-0603 てんかん	100.0%	0.0%	6.1%	1.1%	0.6%	0.6%	1.7%	2.2%	9.4%	0.6%	0.0%	6.1%	8.9%	62.8%	44.3
b-0604 脳性麻痺及びその他の麻痺性症候群	100.0%	0.0%	1.8%	3.6%	3.6%	1.8%	5.4%	1.8%	25.0%	5.4%	1.8%	19.6%	10.7%	21.4%	21.2
b-0605 自律神経系の障害	100.0%	0.0%	0.0%	0.0%	8.3%	0.0%	8.3%	0.0%	16.7%	25.0%	8.3%	8.3%	8.3%	25.0%	22.0
b-0606 その他の神経系の疾患	100.0%	1.2%	4.8%	1.5%	1.2%	2.7%	3.3%	2.1%	8.4%	3.9%	0.6%	9.3%	17.0%	44.8%	36.3
b-0700 眼及び付属器の疾患	100.0%	0.8%	3.5%	1.2%	0.5%	2.7%	3.2%	2.5%	6.5%	5.0%	1.3%	6.9%	9.9%	57.2%	55.3
b-0701 結膜炎	100.0%	7.7%	0.0%	0.0%	7.7%	0.0%	7.7%	15.4%	15.4%	0.0%	0.0%	0.0%	0.0%	46.2%	32.4
b-0702 白内障	100.0%	0.0%	6.0%	2.7%	0.0%	2.0%	2.7%	2.7%	4.0%	6.0%	2.0%	4.7%	13.4%	55.7%	56.5
b-0703 屈折及び調節の障害	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.8%	0.0%	4.8%	9.5%	4.8%	14.3%	4.8%	61.9%	64.7
b-0704 その他の眼及び付属器の疾患	100.0%	1.0%	2.9%	0.7%	0.5%	3.1%	3.1%	2.2%	7.3%	4.6%	1.0%	7.5%	9.2%	57.9%	55.2
b-0800 耳及び乳突突起の疾患	100.0%	1.2%	7.9%	4.8%	1.2%	1.2%	6.1%	3.0%	17.0%	3.0%	1.2%	11.5%	10.9%	32.1%	35.6
b-0801 外耳炎	100.0%	0.0%	16.7%	0.0%	16.7%	0.0%	16.7%	16.7%	16.7%	0.0%	0.0%	0.0%	16.7%	0.0%	8.5
b-0802 その他の外耳疾患	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%	50.0%	0.0%	25.0%	34.8
b-0803 中耳炎	100.0%	3.8%	3.8%	7.7%	1.9%	1.9%	5.8%	0.0%	19.2%	3.8%	1.9%	3.8%	13.5%	34.6%	42.0
b-0804 その他の中耳及び乳突突起の疾患	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	20.0%	0.0%	80.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.0
b-0805 メニエール病	100.0%	0.0%	22.2%	0.0%	0.0%	0.0%	0.0%	11.1%	33.3%	0.0%	0.0%	11.1%	11.1%	11.1%	18.9
b-0806 その他の内耳疾患	100.0%	0.0%	0.0%	2.4%	0.0%	2.4%	0.0%	4.9%	12.2%	2.4%	0.0%	22.0%	7.3%	46.3%	47.0
b-0807 その他の耳疾患	100.0%	0.0%	16.7%	6.3%	0.0%	0.0%	10.4%	2.1%	10.4%	2.1%	2.1%	10.4%	12.5%	29.2%	28.3
b-0900 循環器系の疾患	100.0%	1.8%	2.7%	5.0%	5.1%	1.4%	2.1%	1.4%	5.5%	3.2%	1.3%	7.2%	13.4%	51.1%	37.1
b-0901 高血圧性疾患	100.0%	2.7%	2.2%	0.8%	0.6%	1.0%	1.8%	1.1%	4.6%	3.0%	1.4%	7.9%	18.1%	56.0%	37.8
b-0902 虚血性心疾患	100.0%	0.4%	1.8%	2.8%	1.2%	0.4%	2.2%	1.4%	4.6%	2.2%	1.0%	6.5%	15.2%	61.2%	40.8
b-0903 その他の心疾患	100.0%	1.5%	2.2%	13.6%	16.4%	1.2%	1.4%	1.0%	4.3%	4.1%	1.5%	3.8%	8.3%	42.2%	34.0
b-0904 くも膜下出血	100.0%	0.0%	3.6%	3.6%	3.6%	3.6%	3.6%	0.0%	10.7%	3.6%	0.0%	3.6%	3.6%	60.7%	56.4
b-0905 脳内出血	100.0%	1.5%	5.9%	11.8%	5.9%	1.5%	1.5%	4.4%	11.8%	0.0%	0.0%	10.3%	7.4%	38.2%	29.5
b-0906 脳梗塞	100.0%	1.3%	4.8%	4.0%	2.1%	4.3%	5.1%	1.9%	10.4%	1.9%	0.3%	10.9%	10.4%	42.9%	34.1
b-0907 脳動脈硬化(症)	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	12.5%	0.0%	0.0%	0.0%	12.5%	37.5%	37.5%	30.6
b-0908 その他の脳血管疾患	100.0%	2.1%	6.4%	4.3%	2.1%	0.0%	2.1%	2.1%	6.4%	6.4%	0.0%	6.4%	2.1%	59.6%	41.6
b-0909 動脈硬化(症)	100.0%	0.0%	0.0%	6.5%	0.0%	3.2%	3.2%	6.5%	3.2%	6.5%	3.2%	19.4%	9.7%	41.9%	41.8
b-0911 低血圧(症)	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	50.0%	40.5
b-0912 その他の循環器系の疾患	100.0%	1.2%	4.9%	0.6%	3.0%	0.0%	1.2%	2.4%	7.9%	6.7%	3.0%	9.1%	10.4%	49.4%	41.5
b-1000 呼吸器系の疾患	100.0%	2.2%	5.4%	4.0%	2.0%	2.8%	3.4%	3.5%	11.2%	6.5%	1.6%	9.4%	11.4%	38.2%	32.9
b-1001 急性鼻咽頭炎[かぜ] <感冒>	100.0%	0.0%	10.9%	6.3%	7.8%	6.3%	3.1%	4.7%	14.1%	6.3%	0.0%	9.4%	6.3%	25.0%	24.0
b-1002 急性咽喉炎及び急性扁桃炎	100.0%	6.3%	12.5%	6.3%	3.1%	3.1%	3.1%	0.0%	15.6%	3.1%	0.0%	3.1%	1		

第10-2表 傷病(中分類)/前回診療日から調査日までの日数/別に見た再来患者の構成割合(病院) <2/2>

b-1100	消化器系の疾患	100.0%	2.4%	5.3%	2.3%	1.3%	2.0%	4.0%	3.1%	16.5%	5.1%	1.9%	15.6%	12.3%	30.2%	28.9
b-1101	う蝕	100.0%	0.0%	5.6%	11.1%	0.0%	0.0%	5.6%	5.6%	16.7%	11.1%	5.6%	33.3%	5.6%	5.6%	13.5
b-1102	歯肉炎及び歯周疾患	100.0%	0.7%	11.0%	2.1%	2.1%	2.1%	2.7%	3.4%	34.2%	2.1%	0.7%	19.2%	10.3%	10.3%	17.0
b-1103	その他の歯及び歯の支持組織の障害	100.0%	0.0%	2.9%	1.5%	0.0%	1.5%	1.5%	4.4%	38.2%	11.8%	1.5%	23.5%	11.8%	2.9%	16.3
b-1104	胃潰瘍及び十二指腸潰瘍	100.0%	5.1%	3.4%	1.7%	0.0%	5.1%	1.7%	3.4%	3.4%	10.2%	6.8%	8.5%	11.9%	45.8%	37.6
b-1105	胃炎及び十二指腸炎	100.0%	3.2%	2.3%	2.3%	1.4%	1.8%	5.9%	1.8%	10.0%	5.5%	2.3%	14.1%	14.5%	37.3%	30.8
b-1106	痔核	100.0%	2.9%	5.9%	0.0%	0.0%	2.9%	5.9%	0.0%	5.9%	2.9%	2.9%	29.4%	11.8%	32.4%	36.9
b-1107	アルコール性肝疾患	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	7.1%	14.3%	78.6%	63.7
b-1108	慢性肝炎(アルコール性のものを除く)	100.0%	4.3%	4.3%	0.0%	0.0%	0.0%	0.0%	4.3%	17.4%	8.7%	4.3%	0.0%	21.7%	39.1%	32.5
b-1109	肝硬変(アルコール性のものを除く)	100.0%	3.6%	0.0%	0.0%	3.6%	3.6%	3.6%	7.1%	0.0%	7.1%	0.0%	7.1%	7.1%	57.1%	31.4
b-1110	その他の肝疾患	100.0%	1.9%	7.7%	1.9%	1.9%	3.8%	3.8%	1.9%	7.7%	0.0%	0.0%	9.6%	7.7%	51.9%	43.5
b-1111	胆石症及び胆のう炎	100.0%	3.5%	7.0%	3.5%	1.8%	0.0%	5.3%	5.3%	14.0%	3.5%	0.0%	19.3%	10.5%	26.3%	27.4
b-1112	膵疾患	100.0%	3.1%	9.4%	6.3%	3.1%	0.0%	6.3%	3.1%	9.4%	0.0%	0.0%	6.3%	18.8%	34.4%	40.1
b-1113	その他の消化器系の疾患	100.0%	10.4%	3.5%	2.1%	2.3%	1.9%	2.0%	2.0%	4.2%	3.2%	0.5%	4.5%	4.3%	12.2%	22.8
b-1200	皮膚及び皮下組織の疾患	100.0%	1.4%	8.2%	3.2%	2.0%	1.8%	1.4%	2.3%	12.5%	4.8%	1.6%	10.0%	13.4%	39.1%	33.9
b-1201	皮膚及び皮下組織の感染症	100.0%	7.7%	15.4%	7.7%	0.0%	0.0%	0.0%	7.7%	23.1%	7.7%	7.7%	7.7%	23.1%	0.0%	10.5
b-1202	皮膚炎及び湿疹	100.0%	0.0%	0.7%	2.9%	0.0%	0.0%	0.7%	0.0%	15.3%	4.4%	2.2%	10.9%	12.4%	51.8%	43.5
b-1203	その他の皮膚及び皮下組織の疾患	100.0%	1.7%	11.4%	3.1%	2.8%	2.8%	1.7%	3.1%	10.7%	4.8%	1.0%	9.7%	13.4%	34.8%	30.4
b-1300	筋骨格系及び結合組織の疾患	100.0%	1.6%	5.3%	3.4%	2.1%	3.6%	3.6%	3.9%	16.3%	3.5%	1.8%	9.7%	13.6%	33.3%	31.6
b-1301	炎症性多発性関節障害	100.0%	1.6%	0.5%	2.6%	0.5%	3.1%	1.0%	2.1%	9.4%	4.7%	1.0%	4.2%	18.2%	52.1%	39.2
b-1302	関節症	100.0%	1.3%	3.5%	2.8%	2.0%	3.8%	2.8%	5.0%	19.5%	4.0%	3.0%	13.8%	14.0%	27.6%	31.0
b-1303	脊椎障害(脊椎症を含む)	100.0%	2.2%	7.6%	5.4%	3.2%	3.2%	4.3%	3.5%	19.7%	2.6%	1.7%	8.2%	9.5%	30.7%	27.3
b-1304	椎間板障害	100.0%	3.1%	9.2%	3.1%	2.0%	4.1%	4.1%	4.1%	13.3%	4.1%	1.0%	8.2%	14.3%	30.6%	33.3
b-1305	頸痛症候群	100.0%	0.0%	22.2%	0.0%	0.0%	44.4%	0.0%	0.0%	0.0%	0.0%	0.0%	11.1%	22.2%	24.7	
b-1306	腰痛症及び坐骨神経痛	100.0%	1.1%	9.9%	2.2%	4.4%	5.5%	5.5%	3.3%	9.9%	2.2%	2.2%	11.0%	19.8%	25.3%	24.8
b-1307	その他の脊柱障害	100.0%	1.7%	8.6%	3.4%	1.7%	5.2%	1.7%	1.7%	6.9%	1.7%	0.0%	10.3%	15.5%	41.4%	34.9
b-1308	肩の傷害<損傷>	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	50.0%	0.0%	0.0%	0.0%	10.5	
b-1309	骨の密度及び構造の障害	100.0%	0.7%	3.9%	3.3%	0.0%	2.6%	0.0%	6.5%	21.6%	4.6%	2.0%	3.3%	13.1%	40.5%	34.0
b-1310	その他の筋骨格系及び結合組織の疾患	100.0%	1.7%	5.5%	2.7%	1.9%	2.7%	5.8%	3.9%	14.2%	3.1%	1.2%	12.5%	14.0%	32.0%	33.4
b-1400	腎尿路上生殖器系の疾患	100.0%	2.4%	5.8%	29.6%	14.9%	1.1%	1.3%	1.3%	3.8%	2.9%	1.0%	6.3%	7.8%	22.8%	25.0
b-1401	糸球体疾患及び腎尿細管間質性疾患	100.0%	0.0%	6.0%	2.0%	2.0%	0.0%	2.0%	0.0%	10.0%	0.0%	0.0%	12.0%	22.0%	44.0%	45.4
b-1402	腎不全	100.0%	3.9%	2.3%	56.6%	29.9%	0.3%	0.7%	0.0%	0.8%	0.4%	0.1%	1.1%	2.0%	2.0%	4.9
b-1403	尿路結石症	100.0%	8.3%	8.3%	4.2%	0.0%	0.0%	0.0%	0.0%	4.2%	12.5%	4.2%	12.5%	12.5%	37.5%	32.3
b-1404	その他の腎尿路上生殖器系の疾患	100.0%	1.3%	5.2%	0.7%	2.0%	0.0%	0.0%	3.9%	6.5%	5.2%	2.0%	14.4%	13.7%	47.1%	48.2
b-1405	前立腺肥大(症)	100.0%	0.6%	3.1%	1.3%	1.3%	0.6%	2.5%	3.1%	5.7%	3.8%	1.9%	8.2%	15.7%	54.1%	50.7
b-1406	その他の男性生殖器系の疾患	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	8.3%	8.3%	0.0%	8.3%	75.0%	56.0
b-1407	月経障害及び閉経周辺期障害	100.0%	0.0%	0.0%	7.9%	1.3%	7.9%	1.3%	3.9%	2.6%	3.9%	0.0%	2.6%	15.8%	52.6%	48.1
b-1408	乳房及びその他の女性生殖器系の疾患	100.0%	0.9%	16.3%	9.0%	1.2%	2.3%	2.9%	1.5%	7.6%	6.4%	2.0%	12.8%	9.6%	29.7%	36.2
b-1500	妊娠、分娩及び産後	100.0%	0.0%	5.7%	0.0%	7.6%	5.7%	4.8%	3.8%	20.0%	7.6%	1.9%	20.0%	15.2%	9.5%	16.2
b-1501	流産	100.0%	0.0%	12.5%	0.0%	0.0%	12.5%	12.5%	12.5%	25.0%	0.0%	0.0%	0.0%	25.0%	0.0%	10.9
b-1502	妊娠高血圧症候群	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.0
b-1503	単胎自然分娩	100.0%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%	0.0%	33.3%	0.0%	0.0%	33.3%	0.0%	0.0%	10.3
b-1504	その他の妊娠、分娩及び産後	100.0%	0.0%	5.4%	0.0%	8.7%	4.3%	4.3%	3.3%	17.4%	8.7%	2.2%	21.7%	15.2%	10.9%	17.0
b-1600	周産期に発生した病態	100.0%	0.0%	0.0%	2.0%	2.0%	10.2%	2.0%	8.2%	6.1%	4.1%	0.0%	6.1%	14.3%	44.9%	42.3
b-1601	妊娠及び胎児発育に関連する障害	100.0%	0.0%	0.0%	2.7%	2.7%	8.1%	2.7%	10.8%	8.1%	2.7%	0.0%	2.7%	8.1%	51.4%	49.0
b-1602	その他の周産期に発生した病態	100.0%	0.0%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	8.3%	0.0%	0.0%	16.7%	33.3%	25.0%	21.9
b-1700	先天奇形、変形及び染色体異常	100.0%	0.0%	1.0%	5.9%	0.0%	2.0%	1.0%	4.0%	12.9%	5.0%	1.0%	16.8%	14.9%	36.6%	40.8
b-1701	心臓の先天奇形	100.0%	0.0%	0.0%	7.1%	0.0%	0.0%	0.0%	0.0%	21.4%	3.6%	0.0%	10.7%	25.0%	32.1%	33.3
b-1702	その他の先天奇形、変形及び染色体異常	100.0%	0.0%	1.4%	5.5%	0.0%	2.7%	1.4%	5.5%	9.6%	5.5%	1.4%	19.2%	11.0%	38.4%	43.7
b-1800	症状、徴候及び異常臨床所見・異常検査所見で他に分類されないもの	100.0%	2.7%	9.1%	3.6%	1.4%	3.2%	3.6%	4.1%	12.7%	5.5%	1.4%	7.7%	15.5%	30.9%	33.7
b-1900	損傷、中毒及びその他の外因の影響	100.0%	4.0%	16.1%	9.1%	4.3%	6.3%	5.7%	3.8%	15.2%	4.8%	2.0%	6.4%	9.6%	14.6%	17.4
b-1901	骨折	100.0%	3.6%	8.0%	8.8%	4.6%	7.4%	7.4%	3.2%	15.9%	4.8%	2.6%	7.2%	12.2%	16.7%	19.7
b-1902	頭蓋内損傷及び内臓の損傷	100.0%	5.3%	5.3%	0.0%	5.3%	0.0%	5.3%	0.0%	42.1%	5.3%	0.0%	5.3%	15.8%	10.5%	15.5
b-1903	熱傷及び腐食	100.0%	10.0%	30.0%	50.0%	0.0%	0.0%	0.0%	10.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.9
b-1904	中毒	100.0%	0.0%	5.9%	0.0%	0.0%	5.9%	5.9%	5.9%	23.5%	5.9%	5.9%	23.5%	17.6%	5.9%	27.9
b-1905	その他の損傷及びその他の外因の影響	100.0%	4.3%	22.5%	9.2%	4.3%	5.8%	4.6%	4.3%	14.0%	4.7%	1.6%	5.5%	7.4%	13.6%	15.7
b-2100	健康状態に影響を及ぼす要因及び保健サービスの利用	100.0%	18.5%	2.3%	1.2%	0.3%	1.5%	2.3%	2.6%	15.4%	5.9%	2.4%	19.3%	15.5%	15.4%	24.3
b-2101	検査及び診査のための保健サービスの利用者	100.0%	38.7%	1.7%	1.3%	0.4%	0.4%	2.2%	1.3%	3.5%	3.0%	1.3%	14.3%	12.6%	20.4%	32.8
b-2102	予防接種	100.0%	15.2%	2.1%	1.0%	0.6%	3.7%	4.2%	23.0%	8.9%	3.1%	13.1%	9.9%	15.2%	22.0	
b-2103	正常妊娠及び産後管理並びに家族計画	100.0%	2.1%	2.9%	1.3%	0.4%	0.8%	1.3%	2.5%	20.5%	6.3%	2.9%	28.5%	23.0%	10.5%	18.1
b-2104	歯の補綴	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0	
b-2105	特定の処置(歯の補綴を除く)及び保健ケアのための保健サービスの利用者	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0	
b-2106	その他の理由による保健サービスの利用者	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	66.7%	0.0%	33.3%	20.7
b-2200	特殊目的用コード	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0	
b-2210	重症急性呼吸器症候群[SARS]	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0	
b-2220	その他の特殊目的用コード	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0	
不詳		100.0%	3.5%	5.5%	2.3%	2.3%	2.8%	3.2%	3.2%	9.1%	5.6%	1.3%	13.4%	12.5%	36.6%	32.7

第10-3表 傷病(中分類)/前回診療日から調査日までの日数/別に見た再来患者の構成割合(一般診療所) <1/2>

傷病中分類	総数	1日以内	2日	3日	4日	5日	6日	7日	8~10日	11~14日	14日(再掲)	15~20日	21~30日	31日以上	平均日数
総数	100.0%	6.7%	9.5%	5.8%	4.4%	3.4%	3.0%	2.9%	9.6%	4.8%	1.6%	10.3%	13.2%	26.4%	23.2
b-0100 感染症及び寄生虫症	100.0%	3.5%	6.6%	5.4%	3.6%	6.0%	4.0%	4.3%	16.2%	8.4%	2.2%	12.6%	9.5%	19.9%	20.0
b-0101 腸管感染症	100.0%	5.7%	15.1%	13.2%	9.4%	1.9%	9.4%	1.9%	5.7%	0.0%	0.0%	9.4%	5.7%	22.6%	29.2
b-0102 結核	100.0%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	16.7%	0.0%	33.3%	0.0%	33.3%	32.5
b-0103 主として性的伝播様式をとる感染症	100.0%	11.1%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	22.2%	0.0%	0.0%	11.1%	11.1%	33.3%	19.4
b-0104 皮膚及び粘膜の病変を伴うウイルス疾患	100.0%	3.7%	5.4%	1.7%	2.4%	5.7%	3.5%	4.6%	25.0%	10.9%	2.4%	17.0%	8.7%	11.5%	15.9
b-0105 ウイルス肝炎	100.0%	2.7%	5.4%	12.4%	6.9%	12.4%	5.8%	6.6%	9.7%	5.4%	2.3%	6.6%	10.0%	16.2%	16.0
b-0106 その他のウイルス疾患	100.0%	0.0%	34.3%	14.3%	14.3%	8.6%	5.7%	5.7%	2.9%	0.0%	2.9%	2.9%	5.7%	0.0%	5.6
b-0107 真菌症	100.0%	3.6%	2.4%	2.8%	0.4%	0.8%	2.8%	2.0%	7.7%	7.3%	2.0%	12.1%	15.0%	42.9%	31.9
b-0108 感染症及び寄生虫症の続発・後遺症	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	21.0
b-0109 その他の感染症及び寄生虫症	100.0%	4.1%	9.6%	4.1%	2.7%	6.2%	2.7%	4.1%	21.2%	12.3%	3.4%	13.0%	3.4%	16.4%	19.1
b-0200 新生物	100.0%	6.7%	7.5%	3.5%	2.2%	2.1%	2.7%	3.0%	14.5%	5.6%	1.9%	10.5%	12.6%	29.0%	32.8
b-0201 胃の悪性新生物	100.0%	6.8%	8.5%	5.1%	5.1%	0.0%	5.1%	3.4%	10.2%	5.1%	0.0%	10.2%	13.6%	27.1%	23.1
b-0202 結腸の悪性新生物	100.0%	14.3%	0.0%	0.0%	0.0%	0.0%	0.0%	14.3%	0.0%	7.1%	0.0%	21.4%	7.1%	35.7%	29.0
b-0203 直腸S状結腸移行部及び直腸の悪性新生物	100.0%	8.6%	8.6%	2.9%	0.0%	0.0%	5.7%	2.9%	17.1%	2.9%	0.0%	20.0%	11.4%	20.0%	19.7
b-0204 肝及び肝内胆管の悪性新生物	100.0%	0.0%	20.0%	10.0%	0.0%	0.0%	0.0%	0.0%	10.0%	10.0%	10.0%	0.0%	0.0%	50.0%	32.5
b-0205 気管、気管支及び肺の悪性新生物	100.0%	0.0%	13.0%	4.3%	4.3%	4.3%	0.0%	4.3%	13.0%	0.0%	0.0%	26.1%	13.0%	17.4%	20.5
b-0206 乳房の悪性新生物	100.0%	6.5%	1.6%	1.6%	1.6%	3.2%	4.8%	1.6%	24.2%	6.5%	1.6%	9.7%	12.9%	25.8%	33.8
b-0207 子宮の悪性新生物	100.0%	0.0%	6.7%	13.3%	0.0%	0.0%	0.0%	0.0%	20.0%	13.3%	0.0%	6.7%	20.0%	20.0%	39.1
b-0208 悪性リンパ腫	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0
b-0209 白血病	100.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.0
b-0210 その他の悪性新生物	100.0%	8.8%	4.6%	2.9%	1.3%	1.7%	2.5%	1.4%	14.3%	4.2%	2.5%	8.0%	17.6%	31.5%	34.5
b-0211 良性新生物及びその他の新生物	100.0%	4.7%	11.8%	3.5%	3.5%	3.5%	1.8%	3.5%	13.5%	7.6%	2.4%	10.6%	5.9%	30.0%	37.9
b-0300 血液及び造血器の疾患並びに免疫機構の障害	100.0%	2.5%	8.5%	3.0%	4.0%	4.0%	3.0%	4.5%	17.1%	7.0%	2.0%	9.0%	9.0%	28.1%	27.4
b-0301 貧血	100.0%	2.2%	9.0%	3.4%	4.5%	4.5%	2.8%	3.9%	18.5%	7.3%	2.2%	9.0%	8.4%	26.4%	24.8
b-0302 その他の血液及び造血器の疾患並びに免疫機構の障害	100.0%	4.8%	4.8%	0.0%	0.0%	0.0%	4.8%	9.5%	4.8%	4.8%	0.0%	9.5%	14.3%	42.9%	48.7
b-0400 内分泌、栄養及び代謝疾患	100.0%	4.8%	2.1%	1.0%	0.7%	1.2%	1.5%	1.7%	4.4%	4.4%	2.0%	12.2%	21.8%	44.1%	30.7
b-0401 甲状腺障害	100.0%	4.9%	1.9%	0.0%	2.6%	2.2%	1.1%	1.5%	9.4%	4.1%	3.0%	9.4%	17.6%	45.3%	42.5
b-0402 糖尿病	100.0%	4.9%	2.3%	1.3%	0.4%	1.2%	1.6%	1.3%	3.9%	4.3%	1.7%	13.6%	21.4%	43.6%	28.8
b-0403 その他の内分泌、栄養及び代謝疾患	100.0%	4.7%	1.8%	0.8%	0.8%	1.1%	1.5%	2.2%	4.1%	4.5%	2.1%	11.2%	22.9%	44.4%	30.9
b-0500 精神及び行動の障害	100.0%	6.3%	3.1%	2.2%	1.5%	1.3%	1.7%	1.8%	10.4%	5.5%	2.8%	19.5%	20.0%	26.7%	24.2
b-0501 血管性及び詳細不明の認知症	100.0%	27.3%	0.0%	0.0%	1.9%	3.1%	1.2%	2.5%	16.8%	3.1%	1.9%	20.5%	9.9%	13.7%	15.4
b-0502 精神作用物質使用による精神及び行動の障害	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.6%	11.1%	11.1%	38.9%	33.3%	11.1%	22.5
b-0503 統合失調症、統合失調症型障害及び妄想性障害	100.0%	4.9%	3.8%	6.5%	4.9%	2.7%	3.2%	2.2%	13.5%	5.4%	3.8%	18.4%	16.2%	18.4%	19.5
b-0504 気分[感情]障害(躁うつ病を含む)	100.0%	3.7%	3.0%	2.1%	1.3%	1.4%	2.1%	2.1%	11.6%	6.2%	2.7%	19.8%	22.3%	24.4%	23.5
b-0505 神経症性障害、ストレス関連障害及び身体表現性障害	100.0%	4.1%	2.9%	1.2%	1.0%	0.2%	0.7%	1.0%	6.8%	6.1%	3.4%	20.6%	20.6%	34.7%	29.4
b-0506 知的障害<精神遅滞>	100.0%	3.7%	9.9%	1.2%	0.0%	0.0%	2.5%	2.5%	6.2%	4.9%	1.2%	18.5%	18.5%	32.1%	24.8
b-0507 その他の精神及び行動の障害	100.0%	4.3%	3.2%	4.3%	0.0%	0.0%	1.1%	1.1%	5.4%	1.1%	0.0%	9.7%	25.8%	44.1%	31.2
b-0600 神経系の疾患	100.0%	10.4%	4.2%	1.6%	1.2%	1.7%	2.2%	4.5%	6.7%	5.8%	2.1%	15.9%	17.5%	28.3%	24.6
b-0601 パーキンソン病	100.0%	11.4%	5.1%	0.0%	2.5%	0.0%	2.5%	5.1%	10.1%	3.8%	0.0%	26.6%	10.1%	22.8%	20.1
b-0602 アルツハイマー病	100.0%	18.2%	2.3%	1.0%	0.6%	0.4%	1.0%	7.9%	6.9%	6.7%	2.7%	24.7%	15.1%	15.1%	17.1
b-0603 てんかん	100.0%	6.3%	3.2%	0.0%	1.6%	0.0%	0.0%	0.0%	4.8%	3.2%	1.6%	12.7%	17.5%	50.8%	39.6
b-0604 脳性麻痺及びその他の麻痺性症候群	100.0%	10.0%	35.0%	15.0%	0.0%	0.0%	5.0%	0.0%	10.0%	10.0%	10.0%	0.0%	5.0%	10.0%	15.1
b-0605 自律神経系の障害	100.0%	0.0%	0.0%	0.0%	0.0%	10.5%	5.3%	5.3%	5.3%	5.3%	5.3%	15.8%	21.1%	31.6%	24.8
b-0606 その他の神経系の疾患	100.0%	5.0%	4.8%	2.1%	1.4%	2.9%	3.0%	2.4%	6.2%	5.6%	1.6%	8.6%	20.6%	37.4%	29.6
b-0700 眼及び付属器の疾患	100.0%	5.2%	4.7%	1.0%	2.6%	1.1%	1.1%	1.4%	4.9%	2.8%	1.0%	5.0%	10.5%	59.6%	57.3
b-0701 結膜炎	100.0%	4.5%	0.0%	3.2%	4.1%	0.9%	1.4%	2.7%	5.9%	4.1%	0.9%	7.7%	10.9%	54.5%	52.9
b-0702 白内障	100.0%	4.5%	7.2%	0.9%	4.1%	2.2%	1.2%	1.8%	5.1%	3.8%	1.8%	6.1%	11.1%	52.0%	43.5
b-0703 屈折及び調節の障害	100.0%	5.7%	2.5%	0.7%	0.5%	1.0%	1.7%	0.7%	3.4%	2.2%	1.0%	3.9%	5.2%	72.4%	98.8
b-0704 その他の眼及び付属器の疾患	100.0%	5.5%	4.8%	0.9%	2.2%	0.7%	0.8%	1.3%	5.1%	2.3%	0.7%	4.3%	11.7%	60.4%	53.0
b-0800 耳及び乳様突起の疾患	100.0%	1.9%	9.7%	4.0%	8.3%	8.5%	4.8%	5.8%	19.3%	5.2%	1.2%	10.0%	8.3%	14.2%	15.8
b-0801 外耳炎	100.0%	0.0%	10.3%	5.1%	12.8%	12.8%	7.7%	7.7%	15.4%	7.7%	2.6%	10.3%	5.1%	5.1%	9.3
b-0802 その他の外耳疾患	100.0%	4.7%	14.0%	0.0%	7.0%	7.0%	2.3%	14.0%	18.6%	2.3%	2.3%	16.3%	0.0%	14.0%	12.0
b-0803 中耳炎	100.0%	1.2%	11.0%	5.3%	11.8%	12.9%	5.3%	7.2%	19.9%	6.0%	1.2%	6.7%	6.7%	6.0%	10.3
b-0804 その他の中耳及び乳様突起の疾患	100.0%	2.1%	10.6%	4.3%	2.1%	8.5%	4.3%	2.1%	21.3%	6.4%	2.1%	17.0%	12.8%	8.5%	14.7
b-0805 メニエール病	100.0%	3.8%	3.8%	1.9%	3.8%	3.8%	5.8%	1.9%	25.0%	5.8%	1.9%	9.6%	11.5%	23.1%	21.8
b-0806 その他の内耳疾患	100.0%	2.6%	10.5%	1.8%	3.5%	0.9%	4.4%	1.8%	19.3%	6.1%	0.9%	8.8%	14.0%	26.3%	20.6
b-0807 その他の耳疾患	100.0%	2.5%	5.0%	3.4%	4.2%	1.7%	3.4%	4.2%	15.1%	0.8%	0.0%	17.6%	9.2%	32.8%	31.4
b-0900 循環器系の疾患	100.0%	5.7%	2.3%	1.2%	1.1%	1.2%	1.2%	1.8%	5.3%	4.7%	1.9%	12.4%	23.7%	39.5%	26.8
b-0901 高血圧性疾患	100.0%	5.5%	2.3%	0.9%	0.9%	1.0%	1.0%	1.3%	4.3%	4.6%	1.9%	11.4%	25.3%	41.5%	27.4
b-0902 虚血性心疾患	100.0%	5.1%	1.6%	3.2%	1.6%	1.9%	1.3%	1.6%	7.9%	5.7%	2.5%	14.2%	16.8%	39.2%	26.8
b-0903 その他の心疾患	100.0%	6.7%	3.8%	1.1%	1.6%	2.7%	2.5%	2.7%	5.6%	5.6%	2.7%	15.9%	22.1%	29.8%	24.0
b-0904 くも膜下出血	100.0%	10.0%	0.0%	10.0%	0.0%	0.0%	0.0%	20.0%	0.0%	20.0%	0.0%	10.0%	10.0%	10.0%	13.2
b-0905 脳内出血	100.0%	22.1%	0.0%	4.4%	2.9%	4.4%	0.0%	13.2%	13.2%	5.9%	1.5%	13.2%	8.8%	11.8%	13.5
b-0906 脳梗塞	100.0%	5.1%	2.3%	2.3%	1.5%	1.5%	1.5%	4.4%	12.3%	4.8%	1.2%	17.5%	14.7%	32.1%	24.6
b-0907 脳動脈硬化(症)	100.0%	20.0%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	20.0%	40.0%	20.6
b-0908 その他の脳血管疾患	100.0%	7.7%	3.1%	9.2%	0.0%	0.0%	1.5%	12.3%	9.2%	4.6%	1.5%	20.0%	15.4%	16.9%	21.4
b-0909 動脈硬化(症)	100.0%	4.2%	4.2%	0.0%	4.2%	4.2%	8.3%	0.0%	4.2%	8.3%	0.0%	20.8%	20.8%	20.8%	21.2
b-0911 低血圧(症)	100.0%	0.0%	0.0%	0.0%	10.0%	0.0%	10.0%	0.0%	0.0%	0.0%	0.0%	50.0%	0.0%	30.0%	25.0
b-0912 その他の循環器系の疾患	100.0%	7.0%	2.8%	8.5%	4.2%	2.8%	2.8%	4.2%	12.7%	4.2%	1.4%	18.3%	8.5%	23.9%	20.8
b-1000 呼吸器系の疾患	100.0%	4.2%	9.6%	5.1%	5.4%	7.7%	7.5%	4.5%	12.3%	7.0%	1.7%	10.4%	8.4%	17.8%	19.7
b-1001 急性鼻咽頭炎[かぜ] <感冒>	100.0%	1.7%	17.9%	7.9%	7.4%	3.5%	10.9%	6.1%	13.5%	3.5%	0.9%	9.6%	6.6%	11.4%	16.1
b-1002 急性咽喉炎及び急性扁桃炎	100.0%	2.9%	9.7%	8.3%	7.9%	10.1%	8.5%	5.4%	11.4%	7.4%</					

第10-3表 傷病(中分類)/前回診療日から調査日までの日数/別に見た再来患者の構成割合(一般診療所) <2/2>

b-1100	消化器系の疾患	100.0%	4.8%	5.3%	2.7%	2.1%	3.2%	3.5%	3.0%	11.3%	7.0%	1.7%	15.4%	16.9%	24.9%	24.7
b-1101	う蝕	100.0%	0.0%	3.3%	0.0%	0.0%	6.7%	3.3%	0.0%	30.0%	13.3%	0.0%	16.7%	23.3%	3.3%	14.5
b-1102	歯肉炎及び歯周疾患	100.0%	0.0%	1.9%	1.9%	0.0%	3.8%	3.8%	3.8%	28.3%	11.3%	0.0%	17.0%	11.3%	17.0%	18.0
b-1103	その他の歯及び歯の支持組織の障害	100.0%	0.0%	0.0%	4.2%	0.0%	12.5%	0.0%	4.2%	33.3%	16.7%	12.5%	20.8%	4.2%	4.2%	12.5
b-1104	胃潰瘍及び十二指腸潰瘍	100.0%	7.6%	3.8%	1.9%	1.9%	2.9%	1.9%	3.8%	9.5%	12.4%	3.8%	13.3%	16.2%	24.8%	21.7
b-1105	胃炎及び十二指腸炎	100.0%	5.0%	4.7%	2.6%	1.5%	2.3%	3.3%	2.5%	8.6%	6.0%	1.4%	15.5%	20.4%	27.6%	27.3
b-1106	痔核	100.0%	15.2%	2.2%	0.8%	0.9%	0.7%	1.1%	1.0%	2.4%	2.3%	0.5%	4.3%	5.3%	11.1%	20.1
b-1107	アルコール性肝疾患	100.0%	3.5%	1.8%	3.5%	1.8%	0.0%	0.0%	0.0%	5.3%	12.3%	3.5%	22.8%	12.3%	36.8%	30.4
b-1108	慢性肝炎(アルコール性のものを除く)	100.0%	13.6%	18.2%	4.5%	9.1%	9.1%	0.0%	9.1%	0.0%	9.1%	4.5%	9.1%	9.1%	9.1%	19.9
b-1109	肝硬変(アルコール性のものを除く)	100.0%	8.1%	10.8%	5.4%	5.4%	5.4%	6.8%	6.8%	16.2%	4.1%	1.4%	13.5%	6.8%	10.8%	12.2
b-1110	その他の肝疾患	100.0%	2.6%	5.3%	7.9%	0.0%	5.3%	5.3%	5.3%	15.8%	0.0%	0.0%	18.4%	7.9%	26.3%	21.5
b-1111	胆石症及び胆のう炎	100.0%	4.2%	9.9%	1.4%	4.2%	2.8%	5.6%	4.2%	16.9%	2.8%	0.0%	12.7%	14.1%	21.1%	25.8
b-1112	膵疾患	100.0%	0.0%	18.5%	0.0%	0.0%	11.1%	11.1%	0.0%	18.5%	0.0%	0.0%	11.1%	3.7%	25.9%	22.7
b-1113	その他の消化器系の疾患	100.0%	0.0%	0.0%	0.0%	15.0%	5.0%	5.0%	0.0%	5.0%	15.0%	5.0%	10.0%	5.0%	40.0%	27.8
b-1200	皮膚及び皮下組織の疾患	100.0%	7.4%	4.3%	3.7%	1.8%	2.6%	2.7%	1.9%	9.9%	5.8%	2.0%	14.2%	13.3%	32.4%	26.8
b-1201	皮膚及び皮下組織の感染症	100.0%	6.9%	10.8%	3.9%	2.9%	6.9%	7.8%	2.0%	13.7%	4.9%	0.0%	12.7%	12.7%	14.7%	15.5
b-1202	皮膚炎及び湿疹	100.0%	5.0%	1.3%	1.0%	2.0%	2.5%	2.4%	1.7%	9.8%	5.0%	1.8%	16.6%	16.3%	36.5%	30.1
b-1203	その他の皮膚及び皮下組織の疾患	100.0%	9.0%	5.6%	5.3%	1.6%	2.3%	2.4%	2.0%	9.6%	6.4%	2.2%	12.9%	11.5%	31.4%	25.7
b-1300	筋骨格系及び結合組織の疾患	100.0%	6.9%	17.5%	10.4%	6.1%	5.6%	4.1%	4.2%	14.8%	3.6%	1.1%	7.9%	7.9%	11.0%	12.9
b-1301	炎症性多発性関節障害	100.0%	4.6%	4.9%	5.8%	3.0%	2.4%	2.1%	3.0%	9.4%	4.6%	0.9%	10.0%	19.1%	31.0%	26.4
b-1302	関節症	100.0%	7.8%	14.6%	7.0%	5.7%	6.3%	3.4%	3.7%	18.8%	3.2%	1.2%	10.8%	8.8%	9.9%	13.1
b-1303	脊椎障害(脊椎症を含む)	100.0%	6.7%	21.7%	13.1%	7.0%	5.4%	4.0%	4.3%	13.0%	3.7%	1.3%	6.4%	6.2%	8.6%	11.0
b-1304	椎間板障害	100.0%	7.0%	18.9%	15.3%	6.6%	6.7%	6.3%	4.6%	14.4%	3.8%	0.9%	5.5%	5.8%	5.2%	8.9
b-1305	頸痛症候群	100.0%	4.9%	23.5%	12.3%	3.7%	6.2%	6.2%	4.9%	12.3%	4.9%	1.2%	8.6%	4.3%	8.0%	10.7
b-1306	腰痛症及び坐骨神経痛	100.0%	10.6%	24.0%	11.7%	5.5%	5.5%	3.6%	3.2%	9.4%	4.5%	1.5%	7.1%	6.7%	8.1%	10.9
b-1307	その他の脊柱障害	100.0%	6.1%	23.4%	10.5%	6.1%	8.0%	3.6%	4.5%	15.0%	3.0%	0.7%	5.9%	5.7%	8.2%	11.3
b-1308	肩の傷害<損傷>	100.0%	4.3%	21.1%	10.8%	7.0%	9.2%	7.6%	3.2%	17.3%	3.2%	1.1%	7.6%	3.8%	4.9%	9.4
b-1309	骨の密度及び構造の障害	100.0%	3.9%	7.0%	3.7%	2.0%	2.7%	2.4%	4.3%	16.0%	3.6%	1.4%	8.0%	17.3%	27.9%	22.3
b-1310	その他の筋骨格系及び結合組織の疾患	100.0%	7.2%	15.0%	11.6%	7.9%	5.3%	5.2%	5.5%	16.4%	3.3%	0.6%	8.2%	4.9%	9.6%	12.1
b-1400	泌尿生殖器系の疾患	100.0%	5.1%	6.5%	24.4%	19.7%	2.1%	1.2%	1.1%	6.3%	2.8%	0.9%	5.4%	7.6%	18.0%	16.3
b-1401	糸球体疾患及び腎尿細管間質性疾患	100.0%	0.0%	17.6%	5.9%	17.6%	0.0%	0.0%	0.0%	5.9%	5.9%	0.0%	5.9%	5.9%	35.3%	23.9
b-1402	腎不全	100.0%	3.9%	2.1%	48.5%	40.1%	0.6%	0.2%	0.3%	0.8%	0.4%	0.1%	1.0%	0.4%	1.8%	4.6
b-1403	尿路結石症	100.0%	4.1%	4.1%	0.0%	0.0%	4.1%	0.0%	2.0%	8.2%	6.1%	4.1%	8.2%	16.3%	46.9%	43.8
b-1404	その他の泌尿生殖器系の疾患	100.0%	9.3%	8.5%	2.1%	3.2%	4.3%	2.1%	2.5%	13.2%	3.9%	2.5%	9.3%	12.8%	28.8%	25.5
b-1405	前立腺肥大(症)	100.0%	12.5%	1.8%	0.9%	0.3%	1.5%	1.2%	0.6%	5.8%	1.5%	0.3%	7.0%	18.3%	48.3%	30.7
b-1406	その他の男性生殖器系の疾患	100.0%	5.4%	12.5%	1.8%	1.8%	1.8%	3.6%	7.1%	14.3%	0.0%	0.0%	10.7%	8.9%	32.1%	31.0
b-1407	月経障害及び閉経周辺期障害	100.0%	4.2%	1.1%	1.6%	1.1%	2.1%	1.6%	1.6%	5.3%	6.3%	0.5%	7.4%	19.5%	48.4%	35.2
b-1408	乳房及びその他の女性生殖器系の疾患	100.0%	2.0%	18.1%	9.7%	5.2%	4.3%	2.5%	1.5%	14.0%	6.7%	2.0%	10.3%	9.8%	16.0%	18.5
b-1500	妊娠、分娩及び産じょく	100.0%	4.7%	12.9%	4.7%	5.9%	2.4%	1.2%	7.1%	25.9%	15.3%	5.9%	12.9%	4.7%	2.4%	9.5
b-1501	流産	100.0%	4.3%	17.4%	0.0%	13.0%	4.3%	4.3%	4.3%	26.1%	8.7%	4.3%	13.0%	4.3%	0.0%	7.9
b-1502	妊娠高血圧症候群	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.0
b-1503	単胎自然分娩	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0
b-1504	その他の妊娠、分娩及び産じょく	100.0%	4.9%	11.5%	6.6%	3.3%	1.6%	0.0%	8.2%	24.6%	18.0%	6.6%	13.1%	4.9%	3.3%	10.1
b-1600	周産期に発生した病態	100.0%	20.0%	10.0%	10.0%	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	20.0%	0.0%	10.0%	9.4
b-1601	妊娠及び胎児発育に関連する障害	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0
b-1602	その他の周産期に発生した病態	100.0%	20.0%	10.0%	10.0%	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	20.0%	0.0%	10.0%	9.4
b-1700	先天奇形、変形及び染色体異常	100.0%	0.0%	6.3%	6.3%	12.5%	0.0%	6.3%	0.0%	12.5%	12.5%	0.0%	18.8%	6.3%	18.8%	16.4
b-1701	心臓の先天奇形	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.0
b-1702	その他の先天奇形、変形及び染色体異常	100.0%	0.0%	6.7%	6.7%	13.3%	0.0%	6.7%	0.0%	6.7%	13.3%	0.0%	20.0%	6.7%	20.0%	16.9
b-1800	症状、徴候及び異常臨床所見・異常検査所見で他に分類されないもの	100.0%	3.5%	13.1%	6.7%	3.2%	5.4%	3.5%	4.2%	7.7%	5.8%	2.2%	16.3%	8.3%	22.4%	21.6
b-1900	損傷、中毒及びその他の外因の影響	100.0%	8.1%	41.8%	13.0%	7.1%	4.6%	3.3%	3.0%	8.8%	2.4%	0.8%	3.3%	1.7%	2.8%	5.8
b-1901	骨折	100.0%	11.6%	22.0%	9.6%	5.0%	4.7%	4.4%	3.7%	20.5%	3.7%	0.7%	6.6%	3.0%	5.2%	8.7
b-1902	頭蓋内損傷及び内臓の損傷	100.0%	20.0%	20.0%	10.0%	0.0%	10.0%	0.0%	0.0%	10.0%	0.0%	0.0%	10.0%	10.0%	10.0%	10.6
b-1903	熱傷及び腐食	100.0%	10.0%	22.5%	15.0%	7.5%	10.0%	2.5%	0.0%	17.5%	7.5%	5.0%	2.5%	2.5%	2.5%	6.3
b-1904	中毒	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	25.0%	25.0%	25.0%	0.0%	16.8
b-1905	その他の損傷及びその他の外因の影響	100.0%	7.2%	46.8%	13.8%	7.7%	4.4%	3.1%	2.9%	6.0%	2.0%	0.7%	2.5%	1.4%	2.3%	5.1
b-2100	健康状態に影響を及ぼす要因及び保健サービスの利用	100.0%	24.1%	2.4%	1.5%	2.0%	2.0%	3.6%	3.9%	14.5%	6.4%	1.9%	11.5%	8.3%	19.8%	24.5
b-2101	検査及び診査のための保健サービスの利用者	100.0%	27.5%	1.2%	2.2%	2.0%	1.6%	3.8%	2.2%	10.5%	7.7%	1.8%	10.7%	9.1%	21.4%	22.3
b-2102	予防接種	100.0%	23.6%	2.3%	1.6%	1.9%	1.7%	3.9%	4.1%	17.6%	5.6%	1.5%	10.6%	6.7%	20.6%	27.0
b-2103	正常妊娠及び産じょくの管理並びに家族計画	100.0%	5.4%	0.8%	0.4%	2.9%	2.9%	2.1%	7.9%	19.7%	10.0%	5.0%	23.8%	15.9%	7.9%	14.8
b-2104	歯の補てつ	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0	
b-2105	特定の処置(歯の補てつを除く)及び保健ケアのための保健サービスの利用者	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0	
b-2106	その他の理由による保健サービスの利用者	100.0%	36.0%	6.3%	1.0%	1.7%	3.1%	3.1%	2.4%	6.3%	3.8%	0.7%	5.9%	6.3%	23.8%	27.1
b-2200	特殊目的用コード	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0	
b-2210	重症急性呼吸器症候群[SARS]	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0	
b-2220	その他の特殊目的用コード	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0	
不詳		100.0%	8.7%	6.5%	2.6%	2.6%	2.3%	2.7%	3.1%	6.9%	6.2%	2.0%	10.8%	14.2%	33.4%	28.1